



# Multimodal Level of Service Report

## Year 2019 Average Annual Daily Traffic

Gainesville Metropolitan Area Congestion Management Process

March 12, 2021

Metropolitan Transportation Planning Organization  
for the Gainesville Urbanized Area





# Multimodal Level of Service Report

Year 2019 Average Annual Daily Traffic

Gainesville Metropolitan Area Congestion Management Process

The preparation of this report has been financed in part through grants from the Federal Highway Administration and Federal Transit Administration, U.S. Department of Transportation, under the State Planning and Research Program, Section 505 [or Metropolitan Planning Program, Section 104(f)] of Title 23, U.S. Code. The contents of this report do not necessarily reflect the official views or policy of the U.S. Department of Transportation.

Prepared by the

Metropolitan Transportation Planning Organization  
for the Gainesville Urbanized Area

With Assistance from:  
North Central Florida Regional Planning Council  
2009 NW 67th Place  
Gainesville, FL 32653  
352.955.2200

March 12, 2021



# Table of Contents

Chapter	Page
Executive Summary.....	3
Chapter I: Introduction.....	15
A. Purpose.....	17
B. Scope of Study.....	17
C. Results.....	17
Chapter II: Level of Service Analysis Results.....	21
A. Automotive/Highway .....	21
B. Bicycle, Pedestrian and Transit .....	43
C. Roadway Facilities Operating at an Unacceptable Level of Service .....	67
Chapter III: Median Average Annual Daily Traffic Counts.....	71
A. State-Maintained Arterials .....	73
B. Alachua County Arterials .....	85
C. City of Gainesville/University of Florida Arterials .....	93

## List of Tables

<b>Table</b>	<b>Page</b>
Table 1-A Automotive/Highway Level of Service Characteristics for State Roadways.....	25
Table 1-B Automotive/Highway Level of Service Characteristics for State Roadways.....	27
Table 2-A Automotive/Highway Level of Service Characteristics for Alachua County Roadways.....	31
Table 2-B Automotive/Highway Level of Service Characteristics for Alachua County Roadways.....	33
Table 3-A Automotive/Highway Level of Service - City of Gainesville/University of Florida - Maintained Roadways .....	37
Table 3-B Automotive/Highway Level of Service - City of Gainesville/University of Florida - Maintained Roadways .....	39
Table 4 Bicycle Level of Service - State - Maintained Roadways.....	45
Table 5 Bicycle Level of Service - Alachua County - Maintained Roadways.....	47
Table 6 Bicycle Level of Service - City of Gainesville/University of Florida - Maintained Roadways .....	49
Table 7 Pedestrian Level of Service - State - Maintained Roadways .....	53
Table 8 Pedestrian Level of Service - Alachua County - Maintained Roadways .....	55
Table 9 Pedestrian Level of Service - City of Gainesville/University of Florida - Maintained Roadways .....	57
Table 10 Transit Level of Service - State - Maintained Roadways.....	61
Table 11 Transit Level of Service - Alachua County - Maintained Roadways.....	63
Table 12 Transit Level of Service - City of Gainesville/University of Florida - Maintained Roadways .....	65

## List of Exhibits

<b>Exhibit</b>	<b>Page</b>
Exhibit 1 Roadway Facilities Operating at an Unacceptable Highway Level Of Service.....	4
Exhibit 2 Multimodal Level of Service for State Roads.....	7
Exhibit 3 Multimodal Level of Service for Alachua County Roadways .....	9
Exhibit 4 Multimodal Level of Service for City of Gainesville/University of Florida Roadways .....	11
Exhibit II-1 Sensitive Intersection with High Congestion .....	67
Exhibit III-1 Median Average Annual Daily Traffic Counts - State - Maintained Facilities.....	75
Exhibit III-2 Median Average Annual Daily Traffic Counts - Alachua County - Maintained Facilities.....	87
Exhibit III-3 Median Average Annual Daily Traffic Counts - City of Gainesville/ University of Florida - Maintained Facilities.....	95

# List of Illustrations

Illustration	Page
Illustration I Gainesville Metropolitan Area .....	16
Illustration II Gainesville Metropolitan Area Level of Service.....	22
Illustration III Gainesville Metropolitan Area Level of Service - State - Maintained Roadways .....	24
Illustration IV Gainesville Metropolitan Area Level of Service - Alachua County- Maintained Roadways .....	30
Illustration V Gainesville Metropolitan Area Level of Service - City of Gainesville/ University of Florida Roadways .....	36
Illustration VI Gainesville Metropolitan Area Bicycle Level of Service .....	44
Illustration VII Gainesville Metropolitan Area Pedestrian Level of Service.....	52
Illustration VIII Gainesville Metropolitan Area Transit Level of Service.....	60
Illustration IX Gainesville Metropolitan Area Roadways Operating at an Unacceptable Level of Service.....	68

This Page Left Blank Intentionally



# Executive Summary

This Page Left Blank Intentionally

## Executive Summary

The Multimodal Level of Service Report, provides level of service analysis for automotive/highway (hereinafter highway), bicycle, pedestrian and transit modes of travel. The latest available highway level of service estimate of all federal aid-eligible functionally classified collector and arterial roadways within the Gainesville Metropolitan Area Boundary is provided in this report. In addition, bicycle, pedestrian and transit levels of service estimates of all functionally classified collector and arterial roadways within the Gainesville Metropolitan Area Boundary are provided in this report. Hereinafter, all references to highway level of service address level of service as described in the Highway Capacity Manual 6th Edition. For State/County/City-maintained facilities, the report includes the following components:

- Multimodal level of service summary tables [Executive Summary]
- Automotive/highway level of service tables and maps [Chapter II.A];
- bicycle level of service tables and maps [Chapter II.B];
- pedestrian level of service tables and maps [Chapter II.C];
- transit level of service tables and maps [Chapter II.D]; and
- 2019 average annual daily traffic count tables [Chapter III].

The Multimodal Level of Service Report employs a two-tiered level of service roadway facility analysis. Tier One analysis utilizes Florida Department of Transportation's Generalized Tables. Florida Department of Transportation Generalized Tables are contained in an Florida Department of Transportation document entitled 2020 Quality/Level of Service Handbook, including appended issue papers. Tier Two analysis is utilized for all "distressed" arterials. A "distressed" arterial is one where current highway traffic uses 85 percent or more of the maximum service volume for the adopted level of service for that roadway in Florida Department of Transportation Generalized Tables. Consistent with the 2010 Highway Capacity Manual and 2013 Quality/Level of Service Handbook Tier Two analyses utilized Florida Department of Transportation LOSPLAN software package which included the following three programs:

- ARTPLAN, which analyses interrupted flow (signalized) roadway facilities;
- HIGHPLAN, which analyses uninterrupted flow (unsignalized) roadway facilities; and
- FREEPLAN, which analyses uninterrupted flow and limited access (unsignalized) roadway facilities.

Subsequent to the release of the Highway Capacity Manual 6th Edition, utilization of LOSPLAN analyses was suspended. With the release of the 2020 Quality/Level of Service Handbook, the Florida Department of Transportation decided not to support LOSPLAN. Therefore, Tier Two analyses tools is currently under review.

Tier Two detailed analyses are to be performed for all "distressed" limited-access arterials. These analyses are done to develop a more accurate level of service and service volume estimates than can be obtained using Florida Department of Transportation Generalized Tables. Roadway facilities that are operating at an unacceptable level of service are identified in Exhibit 1. Tier Two level of service analysis based on the Highway Capacity Manual 6th Edition level of service criteria is currently under review by the Florida Department of Transportation.

Bicycle, pedestrian and transit levels of service analyses also employ a two-tiered approach. Those facilities for which the highway level of service is analyzed using the Florida Department of Transportation Generalized Tables, are also analyzed for bicycle, pedestrian and transit level of service using the Florida Department of Transportation Generalized Tables default values. Those facilities are to be Tier Two-analyzed for automotive level of service are to be also analyzed for bicycle, pedestrian and transit level of service.

### Exhibit 1 Roadway Facilities Operating at an Unacceptable Highway Level Of Service

Roadway Facility	From	To	2018 AADT	2018 LOS	2019 AADT	2019 LOS	2019 MSV
Newberry Road [SR 26] (S-14)	NW 122 Street [SR 24]	Interstate 75 [East Ramp] (SR 93)	39,000	D	40,750	F	39,800
SW 2 Avenue [SR 26A] (S-22)	SW 34 Street [SR 121]	University Avenue (SR 26)	12,800	F	12,550	F	12,480
NW 34 Street [SR 121] (S-25)	University Avenue (SR 26)	NW 16 Avenue	19,250	F	19,000	F	16,380
Archer Road [SR 24] (S-47)	SW 91 Street	SW 75 Street	20,400	F	21,500	F	17,700
Archer Road [SR 24] (S-57)	GMA Boundary	SW 91 Street	16,200	D	16,750	F	16,200
NW 43 Street (A-6)	NW 53 Avenue	US Highway 441	13,171	D	16,110	F	15,930
NW 23 Avenue (A-9)	NW 98 Street	NW 55 Street	18,508	F	18,478	F	15,930
SW 75 Street / Tower Road (A-13)	Archer Road (SR 24)	SW 8 Avenue	16,968	F	16,777	F	15,930
SW 20 Avenue (A-15)	SW 75 Street	SW 62 Boulevard	19,598	F	19,598	F	15,930
SW 20 Avenue (A-16)	SW 62 Boulevard	SW 34 Street (SR 121)	25,281	F	19,492	F	14,040
N Main Street (A-17)	N 8 Avenue	N 16 Avenue	15,406	F	15,406	F	14,740
NW 39 Avenue (A-19)	NW 110 Terrace	NW 98 Street	19,022	F	19,022	F	15,930
SW 24 Avenue (A-20)	SW 91 Street	SW 75 Street	14,080	F	14,080	F	13,320
NW 83 Street (A-23)	NW 23 Avenue	NW 39 Avenue (SR 222)	19,169	F	19,169	F	13,320
NW 8 Avenue (G-3)	NW 22 Street	NW 6 Street	15,292	F	14,936	F	14,740
SW 62 Boulevard (G-42)	SW 20 Avenue	NW 1 Place	20,717	F	20,359	F	14,040

Note: Unacceptable operating performance is based on the [Highway Capacity Manual 6th Edition](#) level of service A to F scale

AADT = average annual daily traffic, GMA = Gainesville Metropolitan Area, LOS = level of service, MSV = maximum service volume  
SR = State Road

Exhibits 2, 3 and 4 show multimodal level of service summaries for the state-maintained, county-maintained and city-maintained facilities respectively. For selected urbanized area and transitioning area facilities serving low density development, an outside transit service area (OTSA) designation is used instead indications of unacceptable pedestrian level of service.

### **Congestion Management Process**

The Multimodal Level of Service Report is updated at least annually. This monitoring system is a key component for prioritizing bicycle facility, pedestrian facility, roadway facility and transit projects that address congestion management, in the Long Range Transportation Plan and Transportation Improvement Program. This report is intended to address the Fixing America's Surface Transportation (FAST) Act and Florida Statutes Chapter 339.177(2) congestion management process requirements.

### **Special Note**

The Florida Department of Transportation has updated its Quality/Level of Service Handbook that incorporates level of service analysis based on the Highway Capacity Manual 6th Edition. This edition of the Multimodal Level of Service Report utilizes Generalized Tables from the 2020 Quality/Level of Service Handbook.

This Page Left Blank Intentionally

## Exhibit 2 Multimodal Level of Service for State Roads

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	2019 Level of Service			
				Automobile	Bicycle	Pedestrian	Transit
<b>Urbanized Roadways</b>							
<b>S-2</b>	US 441/ SW 13 Street	SR 331/ Williston Road	SR 24 / Archer Road	C	B	C	B
<b>S-3</b>	US 441/ SW 13 Street	SR 24 / Archer Road	SR 26 / University Avenue	E	D	D	B
<b>S-4</b>	US 441/ NW 13 Street	SR 26 / University Avenue	NW 29 Road	D	D	D	C
<b>S-5</b>	US 441/ NW 13 Street	NW 29 Road	NW 23 Street	C	C	D	E
<b>S-6</b>	SR 20 / NW 6 Street	NW 8 Avenue	SR 222 / NW 39 Avenue	D	D	C	E
<b>S-7</b>	SR 20 / NW 6 Street	SR 222 / NW 39 Avenue	US 441/ West 13 Street	C	D	B	E
<b>S-8</b>	SR 20 / Hawthorne Road	SR 24 / Waldo Road	SE 43 Street	C	B	C	F
<b>S-9</b>	SR 24 / Archer Road	SW 75 Street / Tower Road	Interstate -75	C	D	D	D
<b>S-10</b>	SR 24 / Archer Road	Interstate -75	SR 121/ SW 34 Street	C	E	E	D
<b>S-11</b>	SR 24 / Archer Road	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	D	A	C	A
<b>S-12</b>	SR 24 / Waldo Road	SR 26 / University Avenue	SR 222 / NE 39 Avenue	C	B	D	D
<b>S-14</b>	SR 26 / Newberry Road	NW 122 Street	Interstate-75 [east ramp]	F	D	D	F
<b>S-15</b>	SR 26 / Newberry Road	Interstate -75 [east ramp]	NW 8 Avenue	C	E	D	C
<b>S-16</b>	SR 26 / Newberry Road	NW 8 Avenue	SR 121/ NW 34 Street	C	E	D	D
<b>S-17</b>	SR 26 / University Avenue	SR 121/ West 34 Street	Gale Lemerand Drive	D	C	D	D
<b>S-18</b>	SR 26 / University Avenue	Gale Lemerand Drive	US 441/ West 13 Street	D	A	D	A
<b>S-19</b>	SR 26 / University Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	D	D	C	E
<b>S-20</b>	SR 26 / University Avenue	SR 20 / Hawthorne Road	CR 329B / Lakeshore Drive	C	D	C	E
<b>S-21</b>	SR 26A / SW 2 Avenue	SR 26 / Newberry Road	SR 121/ West 34 Street	E	B	B	E
<b>S-22</b>	SR 26A / SW 2 Avenue	SR 121/ SW 34 Street	SR 26 / University Avenue	F	B	B	A
<b>S-23</b>	SR 121/ SW 34 Street	SR 331/ Williston Road	SR 24 / Archer Road	C	B	C	A
<b>S-24</b>	SR 121/ SW 34 Street	SR 24 / Archer Road	SR 26 / University Avenue	C	C	D	B
<b>S-25</b>	SR 121/ NW 34 Street	SR 26 / University Avenue	NW 16 Avenue	F	E	D	E
<b>S-26</b>	SR 121/ NW 34 Street	NW 16 Avenue	SR 222 / NW 39 Avenue	C	B	C	E
<b>S-27</b>	SR 121/ NW 34 Street	SR 222 / NW 39 Avenue	NW 53 Avenue	D	B	C	D
<b>S-29</b>	SR 222 / NW 39 Avenue	NW 98 Street	NW 83 Street	C	B	D	OTSA
<b>S-30</b>	SR 222 / North 39 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	C	B	C	E
<b>S-31</b>	SR 222 / NE 39 Avenue	SR 24 / Waldo Road	End of 4-lane section	C	B	C	C
<b>S-32</b>	SR 222 / NE 39 Avenue	End of 4-lane section	NE 27 Avenue	B	B	OTSA	OTSA
<b>S-33</b>	SR 226 / SW 16 Avenue	SR 24 / Archer Road	US 441/ SW 13 Street	D	B	C	B
<b>S-34</b>	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	Main Street	D	D	C	B
<b>S-35</b>	SR 226 / SE 16 Avenue	Main Street	SR 331/ Williston Road	D	B	D	D
<b>S-36</b>	SR 120A / North 23 Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	C	D	B	E
<b>S-37</b>	SR 20 / Main Street	University Avenue	North 8 Avenue	C	B	D	E
<b>S-38</b>	SR 331/ SR 121	Interstate -75 (south)	US 441/ SW 13 Street	C	C	D	D
<b>S-39</b>	SR 331/ Williston Road	US 441/ SW 13 Street	SR 26 / University Avenue	C	C	D	F
<b>S-40</b>	SR 20 / NW 8 Avenue	NW 6 Street	North Main Street	D	B	B	E

**Exhibit 2 (Continued)  
Multimodal Level of Service for State Roads**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	2019 Level of Service			
				Automobile	Bicycle	Pedestrian	Transit
<b>Urbanized Roadways</b>							
<b>S-41</b>	Interstate -75	SR 331/ SR 121	SR 24 / Archer Road	C	N/A	N/A	N/A
<b>S-42</b>	Interstate -75	SR 24 / Archer Road	SR 26 / Newberry Road	C	N/A	N/A	N/A
<b>S-43</b>	Interstate -75	SR 26 / Newberry Road	SR 222 / NW 39 Avenue	B	N/A	N/A	N/A
<b>S-46</b>	SR 26 / University Avenue	CR 329B	Gainesville City Limit / GMA	C	B	D	OTSA
<b>S-47</b>	SR 24 / Archer Road	SW 91 Street	SW 75 Street / Tower Road	F	B	E	OTSA
<b>S-50</b>	US 441	NW 23 Street	NW 126 Avenue	C	C	OTSA	OTSA
<b>S-52</b>	Interstate -75	SR 222 / NW 39 Avenue	GMA	C	N/A	N/A	N/A
<b>S-53</b>	SR 222 / North 39 Avenue	NW 51 Street	US 441/ NW 13 Street	C	C	D	D
<b>S-54</b>	SR 121/ NW 34 Street	NW 53 Avenue	US 441/ NW 13 Street	C	B	C	D
<b>S-55</b>	SR 24 / Archer Road	SR 121/ SW 34 Street	SR 226 / SW 16 Avenue	C	B	E	A
<b>S-56</b>	SR 222 / NW 39 Avenue	NW 83 Street	NW 51 Street	C	C	E	C
<b>Transitioning Roadways</b>							
<b>S-1</b>	US 441/ SW 13 Street	Payne's Prairie	SR 331/ Williston Road	C	C	E	C
<b>S-13</b>	SR 24 / Waldo Road	SR 222 / NE 39 Avenue	CR 232 / NE 53 Avenue	C	B	D	F
<b>S-28</b>	SR 121/ NW 22 Street	US 441/ NW 13 Street	NW 128 Lane	C	C	OTSA	OTSA
<b>S-44</b>	SR 121	Wacahoota Road	Interstate 75 (south)	C	C	E	OTSA
<b>S-45</b>	SR 26 / Newberry Road	SW 154 Street	NW 122 Street	C	C	C	OTSA
<b>S-48</b>	SR 20 / Hawthorne Road	SE 43 Street	CR 329B / Lakeshore Drive	C	C	C	OTSA
<b>S-49</b>	SR 20 / Hawthorne Road	CR 329B	CR 2082	B	C	OTSA	OTSA
<b>S-51</b>	Interstate -75	GMA	SR 331/ SR 121	C	N/A	N/A	N/A
<b>S-57</b>	SR 24 / Archer Road	CR 241/ Parker Road	SW 91 Street	F	B	OTSA	OTSA
<b>S-58</b>	SR 222 / NE 39 Avenue	NE 27 Avenue	State Road 26	C	C	OTSA	OTSA
<b>S-59</b>	SR 24 / Waldo Road	NE 53 Avenue	Milligan Still Road	C	C	OTSA	OTSA

t:\mike\los\los20\multimodal\19srmlos\_cms.xls

Source: North Central Florida Regional Planning Council

**Note:** This table is not intended to be used for concurrency management purposes, since bike, pedestrian or transit LOS Standards do not exist. It is for information only.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, OTSA - Outside Transit Service Area, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest



### Exhibit 3 Multimodal Level of Service for Alachua County Roadways

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	2019 Level of Service			
				Automobile	Bicycle	Pedestrian	Transit
<b>Urbanized Major County Roadways</b>							
A-1	NW 53 Avenue	NW 71 Street	US 441/ NW 13 Street	C	B	D	F
A-3	NW 43 Street	SR 26 / Newberry Road	NW 53 Avenue	C	C	D	E
A-6	NW 43 Street	NW 53 Avenue	US 441	F	B	C	OTSA
A-9	NW 23 Avenue	NW 98 Street	NW 55 Street	F	D	E	E
A-10	NW 23 Avenue	NW 55 Street	NW 43 Street	C	D	C	F
A-11	NW 16 Avenue	NW 43 Street	US 441/ NW 13 Street	C	D	C	E
A-12	North 16 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	D	C	C	D
A-13	SW 75 Street / Tower Road	SR 24 / Archer Road	SW 8 Avenue	F	E	D	D
A-14	NW 75 Street / Tower Road	SW 8 Avenue	SR 26/Newberry Road	C	D	C	E
A-15	SW 20 Avenue	SW 75 Street / Tower Road	SW 62 Boulevard	F	C	E	D
A-16	SW 20 Avenue	SW 62 Boulevard	SR 121/ West 34 Street	F	C	F	A
A-17	North Main Street	NW 8 Avenue	North 16 Avenue	F	B	C	C
A-18	North Main Street	NW 23 Avenue	SR 222 / North 39 Avenue	C	B	C	E
A-19	NW 39 Avenue	NW 110 Terrace	NW 98 Street	F	B	B	OTSA
A-20	SW 24 Avenue	SW 91 Street	SW 75 Street / Tower Road	F	E	D	E
A-21	NW 51 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	D	C	C	OTSA
A-22	NW 98 Street	SR 26 / Newberry Road	CR 222 / NW 39 Avenue	D	E	C	OTSA
A-23	Northwest 83 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	F	E	E	D
A-24	West 91 Street	SW 24 Avenue	SR 26 / Newberry Road	D	D	C	OTSA
A-26	SW 8 Avenue	SW 91 Street	SW 75 Street / Tower Road	C	B	B	OTSA
A-29	Kincaid Loop	SR 20 / Hawthorne Road	SR 20 / Hawthorne Road	C	C	C	E
A-30	SW 40 Boulevard / SW 42 / 43 Streets	SR 24/Archer Road	SW 20 Avenue	D	E	E	A
A-33	SW 24 Avenue	SW 122 Street / Parker Road	SW 91 Street	C	D	C	OTSA
A-36	SW 8 Avenue	SW 122 Street / Parker Road	SW 91 Street	C	C	OTSA	OTSA
A-38	SE 43 Street	SR 20 / Hawthorne Road	SR 26 / East University Avenue	C	D	C	F
A-39	SW 91 Street	Archer Road	SW 44 Avenue	D	B	C	OTSA
A-40	SW 46 Boulevard	SW 104 Terrace	Tower Road	C	B	D	OTSA
A-44	SW 75 Street	GMA	SR 24 / Archer Road	C	C	OTSA	OTSA
A-45	Fort Clarke Boulevard	SR 26 / Newberry Road	NW 23 Avenue	D	E	C	C
A-50	North Main Street	NW 16 Avenue	NW 23 Avenue	C	D	C	E

### Exhibit 3 (Continued) Multimodal Level of Service for Alachua County Roadways

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	2019 Level of Service			
				Automobile	Bicycle	Pedestrian	Transit
<b>Transitioning Major County Roadways</b>							
<b>A-2</b>	North 53 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	C	B	D	F
<b>A-28</b>	Rocky Point Road	SR 331/ Williston Road	US 441/ SW 13 Street	C	D	D	OTSA
<b>A-31</b>	Monteocha Road	NE 53 Avenue	11200 Block	C	A	OTSA	OTSA
<b>A-32</b>	West 143 Street / CR 241	SR 26 / Newberry Road	Millhopper Road	C	C	OTSA	OTSA
<b>A-34</b>	Millhopper Road	CR 241/ NW 143 Street	NW 71 Street	C	C	OTSA	OTSA
<b>A-35</b>	SW 122 Street / Parker Road	SW 24 Avenue	SR 26 / Newberry Road	C	C	OTSA	OTSA
<b>A-37</b>	NW 39 Avenue	CR 241	NW 110 Terrace	D	C	F	OTSA
<b>A-41</b>	SW 62 Avenue / SW 63 Boulevard	SR 121	SR 24 / Archer Road	C	D	E	OTSA
<b>A-42</b>	CR 329B / Lakeshore Drive	SR 20 / Hawthorne Road	SR 26 / East University Avenue	C	C	OTSA	OTSA
<b>A-43</b>	NE 77 Avenue / CR 225A	Monteocha Road	SR 24 / Waldo Road	C	B	OTSA	OTSA
<b>A-46</b>	NW 32 Avenue	GMA	CR 241/ NW 143 Street	C	C	OTSA	OTSA
<b>A-47</b>	CR 234	Prairie Creek Bridge	SE 73 Drive	C	C	OTSA	OTSA
<b>A-48</b>	SW 122 Street / Parker Road	Archer Road	SW 24 Avenue	C	B	OTSA	OTSA
<b>A-49</b>	CR 231	SR 121	13000 Block	C	D	OTSA	OTSA

T:\MIKE\los\los20\multimodal\19kmm\los\_cms.xls

Source: North Central Florida Regional Planning Council

**Note:** This table is not intended to be used for concurrency management purposes, since bike, pedestrian or transit LOS Standards do not exist. It is for information only.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, OTSA - Outside Transit Service Area, SE - Southeast, SR - State Road, SW Southwest

### Exhibit 4 Multimodal Level of Service for City of Gainesville/University of Florida Roadways

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	2019 Level of Service			
				Automobile	Bicycle	Pedestrian	Transit
<b>Urbanized Major City Roadways</b>							
G-1	NW 55 Street	SR 26 / Newberry Road	NW 23 Avenue	C	B	B	E
G-2	North 8 Avenue	SR 26 / Newberry Road	West 22 Street	C	D	C	No Service
G-3	North 8 Avenue	NW 22 Street	NW 6 Street	F	E	D	OTSA
G-4	SW 62 Boulevard	SR 26 / Newberry Road	NW 1 Place	D	D	C	A
G-5	NW 22 Street	SR 26 / University Avenue	NW 16 Avenue	C	C	B	No Service
G-6	North 8 Avenue	North Main Street	SR 24 / Waldo Road	D	D	C	D
G-7	South 2 Avenue	US 441/ West 13 Street	SE 7 Street	C	A	B	B
G-8	West 6 Street	SW 16 Avenue	SW 4 Avenue	C	C	B	No Service
G-9	West 6 Street	SW 4 Avenue	NW 8 Avenue	D	B	C	E
G-10	NE 9 Street	SE 2 Avenue	NE 31 Avenue	C	A	B	F
G-11	NW 38 Street	NW 8 Avenue	NW 16 Avenue	C	A	A	No Service
G-12	NW 24 Boulevard	SR 222 / NW 39 Avenue	NW 53 Avenue	C	C	B	No Service
G-13	North Main Street	SR 222 / NW 39 Avenue	NW 53 Avenue	C	C	D	No Service
G-14	NE 15 Street	SR 26 / East University Avenue	NE 8 Avenue	C	C	B	E
G-15	NE 15 Street	NE 16 Avenue	SR 222 / NE 39 Avenue	C	C	B	D
G-16	NE 25 Street	SR 26 / East University Avenue	NE 8 Avenue	C	D	B	F
G-17	SE 4 Street	SR 331/ Williston Road	Depot Avenue	C	C	B	C
G-18	SE 4 Street - SE 22 Avenue	SR 331/ Williston Road	SE 15 Street	C	D	B	D
G-19	North 8 Avenue	SR 24 / Waldo Road	NE 25 Street	D	D	B	C
G-20	South 4 Avenue	US 441/ SW 13 Street	SE 15 Street	C	C	B	E
G-21	SW 9 Road-Depot Avenue-SE 7 Avenue	US 441/ SW 13 Street	SE 15 Street	C	C	B	E
G-22	South 2 Avenue	SE 7 Street	SR 331/ Williston Road	C	A	A	F
G-23	NE 31 Avenue	North Main Street	SR 24 / Waldo Road	C	C	B	No Service
G-24	NW 17 Street	SR 26 / West University Avenue	NW 8 Avenue	C	A	A	No Service
G-25	West 12 Street	SW 4 Avenue	North 8 Avenue	C	B	A	F
G-26	West 10 Street	SW 4 Avenue	NW 8 Avenue	C	C	A	No Service
G-27	SW 16 Street	SW 16 Avenue	SR 24 / Archer Road	C	A	B	A
G-28	NW 5 Avenue	NW 22 Street	US 441/ NW 13 Street	C	C	B	No Service
G-29	West 3 Street	SW 4 Avenue	NW 8 Avenue	C	B	A	No Service
G-30	West 2 Street	SW 4 Avenue	NW 8 Avenue	C	B	A	No Service

**Exhibit 4 (Continued)**  
**Multimodal Level of Service for City of Gainesville/University of Florida Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	2019 Level of Service			
				Automobile	Bicycle	Pedestrian	Transit
<b>Urbanized Major City Roadways</b>							
<b>G-31</b>	Gale Lemerand Drive	SR 24/Archer Road	Museum Road	C	A	B	A
<b>G-32</b>	Radio Road-Museum Road	SR 121/ South 34 Street	US 441/ South 13 Street	D	B	B	A
<b>G-33</b>	East 1 Street	SE 2 Place	NE 8 Avenue	C	B	A	No Service
<b>G-34</b>	East 3 Street	SE Depot Avenue	NE 2 Avenue	C	C	B	A
<b>G-35</b>	Hull Road-Mowry Road	SW 34 Street	Center Drive	D	C	B	A
<b>G-36</b>	NW 31 Avenue / Glen Springs Road	SR 121/ West 34 Street	NW 16 Terrace	D	D	C	D
<b>G-37</b>	SW 23 Terrace	SR 331/ Williston Road	SR 24 / Archer Road	D	B	C	A
<b>G-38</b>	NW 23 Boulevard	NW 16 Terrace	US 441/ West 13 Street	C	B	C	B
<b>G-39</b>	Gale Lemerand Drive	Museum Road	SR 26 / West University Avenue	D	B	C	A
<b>G-40</b>	South Main Street	SR 331/Williston Road	Depot Avenue	C	C	B	F
<b>G-41</b>	South Main Street	Depot Avenue	SR 26 / West University Avenue	D	A	B	E
<b>G-42</b>	SW 62 Boulevard	NW 1Place	SW 20 Avenue	F	E	D	A
<b>Transitioning Major City Roadways</b>							
-	None	-	-	-	-	-	-

Source: North Central Florida Regional Planning Council

t:\mike\los\los20\multimodal\19cmmlos\_cms.xlsx

**Note:** This table is not intended to be used for concurrency management purposes, since bike, pedestrian or transit LOS Standards do not exist. It is for information only.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, OTSA - Outside Transit Service Area, SE - Southeast, SR - State Road, SW Southwest

# Chapter I

## Introduction

This Page Left Blank Intentionally

# Chapter I: Introduction

The Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area Annual Average Daily Traffic (AADT)/ Multimodal Level of Service Report (Multimodal Level of Service Report) is composed of level of service maps and tables of state-maintained, county-maintained and city-maintained federal aid-eligible roadways. This reference to multimodal level of service addresses automotive/highway, bicycle facility, pedestrian facility and transit levels of service as described in the Highway Capacity Manual 6th Edition. This report contains the results of multimodal levels of service analyses and the automotive/highway maximum service volume for arterials, collectors functioning as arterials, transitioning arterials and collectors, major nonstate roads and other nonstate roads within the Gainesville Metropolitan Area Boundary. Illustration I shows the Gainesville Metropolitan Area as defined by Chapter 339.175(1)(c), Florida Statutes. Level of service and maximum service volume methodology utilizes a two-tiered approach. For State/County/City-maintained facilities, the Multimodal Level of Service Report includes the following components:


- multimodal level of service summary tables [Executive Summary]
- automotive/highway level of service tables and maps [Chapter II.A];
- bicycle level of service tables and maps [Chapter II.B];
- pedestrian level of service tables and maps [Chapter II.C];
- transit level of service tables and maps [Chapter II.D]; and
- 2019 average annual daily traffic count tables [Chapter III].

Tier One Level of Service/Maximum Service Volume Analysis uses the Florida Department of Transportation Generalized Tables contained in the latest edition of the Florida Department of Transportation Quality/Level of Service Handbook to determine roadway level of service and maximum service volume, the 2020 Quality/Level of Service Handbook. Tier One Level of Service/Maximum Service Volume Analysis is acceptable for use in the Gainesville Metropolitan Area for all roadways with less than 85 percent of the Florida Department of Transportation Generalized Tables maximum service volume for the adopted level of service.

Tier Two Level of Service/Maximum Service Volume Analysis is utilized for use in the Gainesville Metropolitan Area for all roadways with 85 percent or more of the Florida Department of Transportation Generalized Tables maximum service volume for the adopted level of service. Subsequent to the release of the Highway Capacity Manual 6th Edition, utilization of LOSPLAN analyses was suspended. With the release of the 2020 Quality/Level of Service Handbook, the Florida Department of Transportation decided not to support LOSPLAN. Therefore, Tier Two analyses tools are currently under review.

This report also contains estimates of bicycle, pedestrian and transit level of service for arterials, collectors functioning as arterials, transitioning arterials and collectors, major nonstate roads and other nonstate roads within the Gainesville Metropolitan Area Boundary. Bicycle, pedestrian and transit level of service methodology also utilizes a two-tiered approach. Those facilities for which the highway level of service is analyzed using the Florida Department of Transportation Generalized Tables, are also analyzed for bicycle, pedestrian and transit level of service using the Florida Department of Transportation Generalized Tables default values. Those facilities which are to be Tier Two-analyzed for automotive level of service are to be also analyzed for bicycle, pedestrian and transit level of service.

### Illustration I Gainesville Metropolitan Area





## A. Purpose

The primary purpose of this report is to provide an estimate of roadway level of service possible for each state-maintained arterials, city and county collectors functioning as arterials, transitioning arterials or collectors, major nonstate roads and other nonstate roads within the Gainesville Metropolitan Area Boundary. All roadways are analyzed using Florida Department of Transportation Generalized Tables.

The purpose of providing bicycle, pedestrian and transit level of service, in addition to the automotive/highway level of service, is to inform and educate the Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area, Alachua County and City of Gainesville elected officials and staffs, as well as, the public at-large regarding the Gainesville Metropolitan Area's multimodal transportation system and to provide a mechanism to monitor the implementation of the Long-Range Transportation Plan.

The Multimodal Level of Service Monitoring Program is a component of the Traffic Congestion Management System within the Gainesville Metropolitan Area that is required by Chapter 339.177(2), Florida Statutes.

## B. Scope of Study

The analysis of all Florida Department of Transportation -functionally classified roadways within the Gainesville Metropolitan Area Boundary which are classified higher than local roads are included in this report. Tables 1 through 3 show the data gathered and the automotive/highway analysis results for all roadways studied. Level of service data is graphically shown in Illustrations II through V for all arterials, collectors functioning as arterials and collectors.

Roadways which, when analyzed using the Florida Department of Transportation Generalized Tables, use 85 percent or more of the maximum service volume at the minimum acceptable level of service, are identified as "distressed."

Tables 4 through 6 consist of the bicycle level of service summary. Illustration VI shows the bicycle level of service. Tables 7 through 9 consist of the pedestrian level of service summary. Illustration VII shows the pedestrian level of service. Tables 10 through 12 consist of the transit level of service summary. Illustration VIII shows the transit level of service.

## C. Results

Automotive/Highway level of service data for each roadway facility are provided for State-maintained, Alachua County-maintained and City of Gainesville-maintained roads within the Gainesville Metropolitan Area boundary. Tables 1-A and 1-B through Tables 3-A and 3-B provide median Annual Average Daily Traffic counts and Florida Department of Transportation Generalized Tables level of service data for these roads, maximum service volumes, laneage, signal density, median and/or left turn adjustments and adopted level of service standards for these roads.

Tables 1-A and 1-B provide the automotive/ highway level of service and maximum service volume for the State-maintained arterials, Tables 2-A and 2-B provide the automotive/ highway level of service and maximum service volume for the Alachua County-maintained roads and Tables 3-A and 3-B provide the automotive/ highway level of service and maximum service volume for the City of Gainesville-maintained

---

**Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area  
Multimodal Level of Service Report**

roads. The roads are labeled S (State), A (Alachua County) or G (City of Gainesville) and an assigned arterial number. For example, S-4 is the designation of U.S. Highway 441 from State Road 26 (University Avenue) to NW 29 Road. Roadway facilities which are part of the Strategic Intermodal System, Florida Intrastate Highway System, Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area-designated multimodal corridors or are within a local government comprehensive plan-designated transportation mobility managed area are identified in the level of service tables.

In addition, Tables 4 through 12 provide multimodal levels of service by facility for, bicycle, pedestrian and transit modes. Tables 4, 7 and 10 provide the bicycle, pedestrian and transit levels of service, respectively, for the State-maintained arterials, Tables 5, 8 and 11 provide the bicycle, pedestrian and transit levels of service, respectively, for the Alachua County-maintained roads and Tables 6, 9 and 12 provide the bicycle, pedestrian and transit levels of service, respectively, for the City of Gainesville-maintained roads.

This edition of the Multimodal Level of Service Report includes Federal Highway Administration Highway Performance Monitoring System sample 2019 annual average daily traffic counts that were collected by the Florida Department of Transportation. These traffic counts are included in the Florida Department of Transportation traffic count data website along with the State Highway System traffic counts.

# Chapter II

## Level of Service Analysis Results

This Page Left Blank Intentionally

## Chapter II: Level of Service Analysis Results

### A. Automotive/Highway

Illustration II shows the overall Gainesville Metropolitan Area automotive/highway level of service of federal aid-eligible facilities.

For State of Florida-maintained and federal aid-eligible facilities:

- Illustration III shows the Gainesville Metropolitan Area automotive/highway level of service; and
- Tables 1-A and 1-B identify the overall Gainesville Metropolitan Area automotive/highway level of service.


For Alachua County-maintained and federal aid-eligible facilities:

- Illustration IV shows the Gainesville Metropolitan Area automotive/highway level of service; and
- Tables 2-A and 2-B identify the overall Gainesville Metropolitan Area automotive/highway level of service.

For City of Gainesville-maintained and federal aid-eligible facilities:


- Illustration V shows the Gainesville Metropolitan Area automotive/highway level of service; and
- Tables 3-A and 3-B identify the overall Gainesville Metropolitan Area automotive/highway level of service.

### Illustration II Gainesville Metropolitan Area Level of Service



This Page Left Blank Intentionally

**Illustration III**  
**Gainesville Metropolitan Area Level of Service - State - Maintained Roadways**





**Table 1-A**  
**Automotive/Highway Level of Service Characteristics for State Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or West Termini	Special Note A	Number of Lanes B	Roadway Class C	Speed Limit (Miles Per Hour)	Median or Left Turn Adjustment D
<b>URBANIZED ROADWAYS I</b>								
<b>S-2</b>	US 441/ SW 13 Street	SR 331/ Williston Road	SR 24 / Archer Road	NHS / Multimodal Corridor	4-D	I State	45	NO
<b>S-3</b>	US 441/ SW 13 Street	SR 24 / Archer Road	SR 26 / University Avenue	NHS / Multimodal Corridor	4-D	II State	30	NO
<b>S-4</b>	US 441/ NW 13 Street	SR 26 / University Avenue	NW 29 Road	NHS / Multimodal Corridor	4-D	II State	35	NO
<b>S-5</b>	US 441/ NW 13 Street	NW 29 Road	NW 23 Street	NHS / Multimodal Corridor	4-D	I State	45	NO
<b>S-6</b>	SR 20 / NW 6 Street	NW 8 Avenue	SR 222 / NW 39 Avenue	-	4-U	II State	35	-5%
<b>S-7</b>	SR 20 / NW 6 Street	SR 222 / NW 39 Avenue	US 441/ West 13 Street	-	4-U	II State	35	-5%
<b>S-8</b>	SR 20 / Hawthorne Road	SR 24 / Waldo Road	SE 43 Street	NHS / SIS / FIHS / Multimodal Corridor	4-D	I State	45	NO
<b>S-9</b>	SR 24 / Archer Road	SW 75 Street / Tower Road	Interstate -75	Multimodal Corridor	4-D	I State	45	NO
<b>S-10</b>	SR 24 / Archer Road	Interstate -75	SR 121/ SW 34 Street	NHS / Multimodal Corridor	6-D	I State	45	NO
<b>S-11</b>	SR 24 / Archer Road	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	NHS / Multimodal Corridor	4-D	II State	35	NO
<b>S-12</b>	SR 24 / Waldo Road	SR 26 / University Avenue	SR 222 / NE 39 Avenue	NHS / SIS Connector [part] /		I State	45	NO
<b>S-14</b>	SR 26 / Newberry Road	NW 122 Street	Interstate-75 [east ramp]	NHS / SIS / FIHS / Multimodal Corridor	4-D	I State	45	NO
<b>S-15</b>	SR 26 / Newberry Road	Interstate -75 [east ramp]	NW 8 Avenue	NHS / Multimodal Corridor / Constrained	6-D	II State	35	NO
<b>S-16</b>	SR 26 / Newberry Road	NW 8 Avenue	SR 121/ NW 34 Street	NHS / Multimodal Corridor / Constrained	4-D	I State	40	NO
<b>S-17</b>	SR 26 / University Avenue	SR 121/ West 34 Street	Gale Lemerand Drive	NHS / Multimodal Corridor / Constrained	3-U	II State	35	.5*4LnPDF+.5*2LnOPDF
<b>S-18</b>	SR 26 / University Avenue	Gale Lemerand Drive	SR 222 / West 13 Street	NHS / Multimodal Corridor	4-D	II State	30	NO
<b>S-19</b>	SR 26 / University Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	NHS / Multimodal Corridor	4-D	II State	30	NO
<b>S-20</b>	SR 26 / University Avenue	SR 20 / Hawthorne Road	CR 329B / Lakeshore Drive	Multimodal Corridor	4-D	II State	30	NO
<b>S-21</b>	SR 26A / SW 2 Avenue	SR 26 / Newberry Road	SR 121/ West 34 Street	Multimodal Corridor	2-D	II State	45	+5%
<b>S-22</b>	SR 26A / SW 2 Avenue	SR 121/ SW 34 Street	SR 26 / University Avenue	Multimodal Corridor	2-U	II State	35	-20%
<b>S-23</b>	SR 121/ SW 34 Street	SR 331/ Williston Road	SR 24 / Archer Road	Multimodal Corridor	6-D	I State	45	NO
<b>S-24</b>	SR 121/ SW 34 Street	SR 24 / Archer Road	SR 26 / University Avenue	Multimodal Corridor	6-D	I State	45	NO
<b>S-25</b>	SR 121/ NW 34 Street	SR 26 / University Avenue	NW 16 Avenue	Multimodal Corridor	2-D	II State	35	+5%
<b>S-26</b>	SR 121/ NW 34 Street	NW 16 Avenue	SR 222 / NW 39 Avenue	Multimodal Corridor	2-U	I State	40	NO
<b>S-27</b>	SR 121/ NW 34 Street	SR 222 / NW 39 Avenue	NW 53 Avenue	Multimodal Corridor	2-U	I State	40	NO
<b>S-29</b>	SR 222 / NW 39 Avenue	NW 98 Street	NW 83 Street	NHS / SIS Connector	4-D	I State	45	NO
<b>S-30</b>	SR 222 / North 39 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	NHS / SIS Connector	4-D	I State	45	NO
<b>S-31</b>	SR 222 / NE 39 Avenue	SR 24 / Waldo Road	End of 4-lane section	NHS / SIS Connector	4-D	I State	45	NO
<b>S-32</b>	SR 222 / NE 39 Avenue	End of 4-lane section	NE 27 Avenue	-	2-U	Unsignalized	55	NO
<b>S-33</b>	SR 226 / SW 16 Avenue	SR 24 / Archer Road	US 441/ SW 13 Street	-	4-D	II State	35	NO
<b>S-34</b>	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	Main Street	-	4-D	II State	35	NO
<b>S-35</b>	SR 226 / SE 16 Avenue	Main Street	SR 331/ Williston Road	-	2-U	II State	35	NO
<b>S-36</b>	SR 120A / North 23 Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	-	4-U	II State	35	-25%

\*Segment contains one or more converted to roundabouts/flashes.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NHS - National Highway System, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

"Distressed" facilities are shown in italics

Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area  
Multimodal Level of Service Report

**Table 1-A (Continued)**  
**Automotive/Highway Level of Service Characteristics for State Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or West Termini	Special Note A	Number of Lanes B	Roadway Class C	Speed Limit (Miles Per Hour)	Median or Left Turn Adjustment D
<b>URBANIZED ROADWAYS I</b>								
S-37	SR 20 / Main Street	University Avenue	North 8 Avenue	-	2-D	II State	30	+5%
S-38	SR 331/ SR 121	Interstate -75 (south)	US 441/ SW 13 Street	NHS / SIS / FIHS	4-D	I State	45	NO
S-39	SR 331/ Williston Road	US 441/ SW 13 Street	SR 26 / University Avenue	NHS / SIS / FIHS	4-D	I State	45	NO
S-40	SR 20 / NW 8 Avenue	NW 6 Street	North Main Street	-	4-D	II State	30	NO
S-41	Interstate -75	SR 331/ SR 121	SR 24 / Archer Road	NHS / SIS / FIHS	6-D	Freeway	70	N/A
S-42	Interstate -75	SR 24 / Archer Road	SR 26 / Newberry Road	NHS / SIS / FIHS	6-D	Freeway	70	N/A
S-43	Interstate -75	SR 26 / Newberry Road	SR 222 / NW 39 Avenue	NHS / SIS / FIHS	6-D	Freeway	70	N/A
S-46	SR 26 / University Avenue	CR 329B	Gainesville City Limit / GMA	Multimodal Corridor	2-U	I State	60	NO
S-47	SR 24 / Archer Road	SR 91 Street	SR 75 Street / Tower Road	Multimodal Corridor	2-D	I State	60	+5%
S-50	US 441	NW 23 Street	NW 126 Avenue	NHS / Multimodal Corridor	4-D	I State	60	NO
S-52	Interstate -75	SR 222 / NW 39 Avenue	GMA	NHS / SIS / FIHS	6-D	Freeway	70	N/A
S-53	SR 222 / North 39 Avenue	NW 51 Street	US 441 / NW 13 Street	NHS / SIS Connector	4-D	I State	45	NO
S-54	SR 121 / NW 34 Street	NW 53 Avenue	US 441 / NW 13 Street	Multimodal Corridor	2-U	I State	40	NO
S-55	SR 24 / Archer Road	SR 121 / SW 34 Street	SR 226 / SW 16 Avenue	Multimodal Corridor	6-D	I State	45	NO
S-56	SR 222 / NW 39 Avenue	NW 83 Street	NW 51 Street	NHS / SIS Connector	4-D	I State	45	NO
<b>TRANSITIONING ROADWAYS J</b>								
S-1	US 441 / SW 13 Street	Payne's Prairie	SR 331 / Williston Road	NHS / Multimodal Corridor	4-D	I State	55	NO
S-13	SR 24 / Waldo Road	SR 222 / NE 39 Avenue	CR 232 / NE 53 Avenue	NHS / SIS Connector [part] / Multimodal Corridor	4-D	I State	45	NO
S-28	SR 121 / NW 22 Street	US 441 / NW 13 Street	NW 128 Lane	Multimodal Corridor	2-U	I State	45	NO
S-44	SR 121	Wacahoota Road	Interstate 75 (south)	Multimodal Corridor	2-U	I State	60	NO
S-45	SR 26 / Newberry Road	SW 154 Street	NW 122 Street	NHS / SIS / FIHS	4-D	I State	55	NO
S-48	SR 20 / Hawthorne Road	SE 43 Street	CR 329B / Lakeshore Drive	NHS / SIS / FIHS / Multimodal Corridor	4-D	I State	45	NO
S-49	SR 20 / Hawthorne Road	CR 329B	CR 2082	NHS / SIS / FIHS / Multimodal Corridor	4-D	Unsignalized	60	NO
S-51	Interstate -75	GMA	SR 331 / SR 121	NHS / SIS / FIHS	6-D	Freeway	70	N/A
S-57	SR 24 / Archer Road	CR 241 / Parker Road	SW 91 Street	-	2-U	I State	55	NO
S-58	SR 222 / NE 39 Avenue	NE 27 Avenue	State Road 26	-	2-U	I State	55	NO
S-59	SR 24 / Waldo Road	NE 53 Avenue	Milligan Still Road	NHS	4-D	I State	65	NO

Source: North Central Florida Regional Planning Council

\*Segment contains one or more traffic signals that have been converted to roundabouts/flashes.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NHS - National Highway System, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

\*Distressed\* facilities are shown in italics

Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area  
Multimodal Level of Service Report

**Table 1-B**  
**Automotive/Highway Level of Service Characteristics for State Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Adopted LOS Standard E	Maximum Service Volume F			Percent of Capacity	Available Service Volume	2019 AADT G	Level of Service H	
					Table	Calculated	Negotiated				Table	Calculated
<b>URBANIZED ROADWAYS I</b>												
S-2	US 441/ SW 13 Street	SR 331/ Williston Road	SR 24 / Archer Road	E	39,800	-	TMPA	52%	19,300	20,500	C	-
S-3	US 441/ SW 13 Street	SR 24 / Archer Road	SR 26 / University Avenue	E	33,800	-	TMPA	98%	800	33,000	E	-
S-4	US 441/ NW 13 Street	SR 26 / University Avenue	NW 29 Road	E	33,800	-	TMPA	86%	4,800	29,000	D	-
S-5	US 441/ NW 13 Street	NW 29 Road	NW 23 Street	E	39,800	-	TMPA	68%	12,550	27,250	C	-
S-6	SR 20 / NW 6 Street	NW 8 Avenue	SR 222 / NW 39 Avenue	E	32,110	-	TMPA	54%	14,710	17,400	D	-
S-7	SR 20 / NW 6 Street	SR 222 / NW 39 Avenue	US 441/ West 13 Street	E	32,110	-	TMPA	33%	21,610	10,500	C	-
S-8	SR 20 / Hawthorne Road	SR 24 / Waldo Road	SE 43 Street	E	39,800	-	TMPA (part)	39%	24,400	15,400	C	-
S-9	SR 24 / Archer Road	SW 75 Street / Tower Road	Interstate -75	D	39,800	-	TCEA	68%	12,550	27,250	C	-
S-10	SR 24 / Archer Road	Interstate -75	SR 121/ SW 34 Street	E	59,900	-	TMPA	85%	8,900	51,000	C	-
S-11	SR 24 / Archer Road	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	E	33,800	-	TMPA	78%	7,300	26,500	D	-
S-12	SR 24 / Waldo Road	SR 26 / University Avenue	SR 222 / NE 39 Avenue	E	39,800	-	TMPA	69%	12,469	27,331	C	-
S-14	SR 26 / Newberry Road	NW 122 Street	Interstate-75 [east ramp]	D	39,800	-	TCEA (part)	102%	(950)	40,750	F	-
S-15	SR 26 / Newberry Road	Interstate -75 (east ramp)	NW 8 Avenue	E	59,900	-	TMPA	83%	10,400	49,500	C	-
S-16	SR 26 / Newberry Road	NW 8 Avenue	SR 121/ NW 34 Street	E	39,800	-	TMPA	75%	10,050	29,750	C	-
S-17	SR 26 / University Avenue	SR 121/ West 34 Street	Gale Lemerand Drive	E	24,700	-	TMPA	90%	2,450	22,250	D	-
S-18	SR 26 / University Avenue	Gale Lemerand Drive	US 441/ West 13 Street	E	33,800	-	TMPA	87%	4,300	29,500	D	-
S-19	SR 26 / University Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	E	33,800	-	TMPA	57%	14,700	19,100	D	-
S-20	SR 26 / University Avenue	SR 20 / Hawthorne Road	CR 329B / Lakeshore Drive	E	39,800	-	TMPA (part)	28%	28,600	11,200	C	-
S-21	SR 26A / SW 2 Avenue	SR 26 / Newberry Road	SR 121/ West 34 Street	E	16,380	-	TMPA	96%	580	15,800	E	-
S-22	SR 26A / SW 2 Avenue	SR 121/ SW 34 Street	SR 26 / University Avenue	E	2,480	-	TMPA	101%	(70)	12,550	F	-
S-23	SR 121/ SW 34 Street	SR 331/ Williston Road	SR 24 / Archer Road	E	59,900	-	TCEA	43%	34,423	25,477	C	-
S-24	SR 121/ SW 34 Street	SR 24 / Archer Road	SR 26 / University Avenue	E	59,900	-	TMPA (part)	71%	17,150	42,750	C	-
S-25	SR 121/ NW 34 Street	SR 26 / University Avenue	NW 16 Avenue	E	16,380	-	TMPA	116%	(2,620)	19,000	F	-
S-26	SR 121/ NW 34 Street	NW 16 Avenue	SR 222 / NW 39 Avenue	E	17,700	-	TMPA	86%	2,450	15,250	C	-
S-27	SR 121/ NW 34 Street	SR 222 / NW 39 Avenue	NW 53 Avenue	E	17,700	-	TMPA	98%	300	17,400	D	-
S-29	SR 222 / NW 39 Avenue	NW 98 Street	NW 83 Street	D	39,800	-	TCEA	67%	13,311	26,489	C	-
S-30	SR 222 / North 39 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	E	39,800	-	TMPA	47%	21,100	18,700	C	-
S-31	SR 222 / NE 39 Avenue	SR 24 / Waldo Road	End of 4-lane section	E	39,800	-	TMPA	36%	25,300	14,500	C	-
S-32	SR 222 / NE 39 Avenue	End of 4-lane section	NE 27 Avenue	E	32,600	-	TMPA	34%	21,500	11,100	B	-
S-33	SR 226 / SW 16 Avenue	SR 24 / Archer Road	US 441/ SW 13 Street	E	33,800	-	TMPA	64%	12,205	21,595	D	-
S-34	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	Main Street	E	33,800	-	TMPA	62%	12,800	21,000	D	-
S-35	SR 226 / SE 16 Avenue	Main Street	SR 331/ Williston Road	E	15,600	-	TMPA	67%	5,100	10,500	D	-
S-36	SR 120A / North 23 Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	E	25,350	-	TMPA	54%	11,750	13,600	C	-

\*Segment contains one or more traffic signals that have been converted to roundabouts/flashers.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, TCEA - Transportation Concurrence Exception Area, TMPA - Transportation Management Program Area

"Distressed" facilities are shown in italics

Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area  
Multimodal Level of Service Report

**Table 1-B (Continued)**  
**Automotive/Highway Level of Service Characteristics for State Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Adopted LOS Standard E	Maximum Service Volume F			Percent of Capacity	Available Service Volume	2018 AADT G	Level of Service H	
					Table	Calculated	Negotiated				Table	Calculated
<b>URBANIZED ROADWAYS I</b>												
S-37	SR 20 / Main Street	University Avenue	North 8 Avenue	E	18,585	-	TMPA	79%	3,935	14,650	C	-
S-38	SR 331/ SR 121	Interstate -75 (south)	US 441/ SW 13 Street	E	39,800	-	TMPA (part)	74%	10,300	29,500	C	-
S-39	SR 331/ Williston Road	US 441/ SW 13 Street	SR 26 / University Avenue	E	39,800	-	TMPA	60%	15,800	24,000	C	-
S-40	SR 20 / NW 8 Avenue	NW 6 Street	North Main Street	E	33,800	-	TMPA	51%	16,600	17,200	D	-
S-41	Interstate -75	SR 331/ SR 121	SR 24 / Archer Road	D	113,600	-	-	74%	30,100	83,500	C	-
S-42	Interstate -75	SR 24 / Archer Road	SR 26 / Newberry Road	D	113,600	-	-	78%	24,600	89,000	C	-
S-43	Interstate -75	SR 26 / Newberry Road	SR 222 / NW 39 Avenue	D	113,600	-	-	50%	56,600	57,000	B	-
S-46	SR 26 / University Avenue	CR 329B	Gainesville City Limit / GMA	D	17,700	-	TCEA (part)	26%	13,100	4,600	C	-
S-47	SR 24 / Archer Road	SR 91 Street	SR 75 Street / Tower Road	D	17,700	-	TCEA	12%	(3,800)	2,150	F	-
S-50	US 441	NW 23 Street	NW 126 Avenue	E	39,800	-	TCEA (part)	5%	19,400	20,400	C	-
S-52	Interstate -75	SR 222 / NW 39 Avenue	GMA	C	113,600	-	-	62%	42,910	70,690	C	-
S-53	SR 222 / North 39 Avenue	NW 51 Street	US 441/ NW 13 Street	E	39,800	-	TMPA	69%	12,300	27,500	C	-
S-54	SR 121/ NW 34 Street	NW 53 Avenue	US 441/ NW 13 Street	E	17,700	-	TMPA	62%	6,700	11,000	C	-
S-55	SR 24 / Archer Road	SR 121/ SW 34 Street	SR 226 / SW 16 Avenue	E	59,900	-	-	85%	8,900	51,000	C	-
S-56	SR 222 / NW 39 Avenue	NW 83 Street	NW 51 Street	D	39,800	-	TCEA	79%	8,300	31,500	C	-
<b>TRANSITIONING ROADWAYS J</b>												
S-1	US 441/ SW 13 Street	Payne's Prairie	SR 331/ Williston Road	D	35,500	-	-	4%	20,850	14,650	C	-
S-13	SR 24 / Waldo Road	SR 222 / NE 39 Avenue	CR 232 / NE 53 Avenue	E	35,500	-	TCEA (part)	52%	17,200	18,300	C	-
S-28	SR 121/ NW 22 Street	US 441/ NW 13 Street	NW 128 Lane	E	16,200	-	TMPA (part)	7%	4,712	11,488	C	-
S-44	SR 121	Wacahoota Road	Interstate 75 (south)	D	16,200	-	-	65%	5,700	10,500	C	-
S-45	SR 26 / Newberry Road	SW 154 Street	NW 122 Street	D	35,500	-	-	65%	12,550	22,950	C	-
S-48	SR 20 / Hawthorne Road	SE 43 Street	CR 329B / Lakeshore Drive	D	35,500	-	-	36%	22,700	12,800	C	-
S-49	SR 20 / Hawthorne Road	CR 329B	CR 2082	D	63,000	-	-	16%	52,800	10,200	B	-
S-51	Interstate -75	GMA	SR 331/ SR 121	C	86,600	-	-	76%	21,100	65,500	C	-
S-57	SR 24 / Archer Road	CR 241/ Parker Road	SR 91 Street	D	16,200	-	-	103%	(550)	16,750	F	-
S-58	SR 222 / NE 39 Avenue	NE 27 Avenue	State Road 26	E	16,200	-	-	48%	8,500	7,700	C	-
S-59	SR 24 / Waldo Road	NE 53 Avenue	Milligan Still Road	D	35,500	-	-	50%	17,900	17,600	C	-

t:\mike\los\los20\multimodal\19sdata\19sdata\_n\_b.xlsx

Source: North Central Florida Regional Planning Council


\*Segment contains one or more traffic signals that have been converted to roundabouts/flashers.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW - Southwest, TCEA - Transportation Concurrence Exception Area, TMPA - Transportation Management Program Area

"Distressed" facilities are shown in italics

This Page Left Blank Intentionally

**Illustration IV**  
**Gainesville Metropolitan Area Level of Service - Alachua County-Maintained Roadways**



**Table 2-A**  
**Automotive/Highway Level of Service Characteristics for Alachua County Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or West Termini	Special Note A	Number of Lanes B	Roadway Class C	Speed Limit (Miles Per Hour)	Median or Left Turn Adjustment D
<b>Urbanized Roadways I</b>								
A-1 / AC-010	NW 53 Avenue	NW 71 Street	US 441 / NW 13 Street	-	2-U	I Major County	45	-
A-3 / AC-025	NW 43 Street	SR 26 / Newberry Road	NW 53 Avenue	-	4-D	I Major County	45	-
A-6 / AC-030	NW 43 Street	NW 53 Avenue	US 441	-	2-U	I Major County	55	-
A-9 / AC-040	NW 23 Avenue	NW 98 Street	NW 55 Street	-	2-U	I Major County	45	-
A-10 / AC-035	NW 23 Avenue	NW 55 Street	NW 43 Street	-	4-D	I Major County	40	-
A-11	NW 16 Avenue	NW 43 Street	US 441 / NW 13 Street	-	4-D	I Major County	40	-
A-12	North 16 Avenue	US 441 / NW 13 Street	SR 24 / Waldo Road	-	2-U	II Major County	35	+5%
A-13 / AC-090	SW 75 Street / Tower Road	SR 24 / Archer Road	SW 8 Avenue	-	2-U	I Major County	40	-
A-14 / AC-085	NW 75 Street / Tower Road	SW 8 Avenue	SR 26 / Newberry Road	-	4-D	I Major County	40	-
A-15 / AC-060	SW 20 Avenue	SW 75 Street / Tower Road	SW 62 Boulevard	Multimodal Corridor	2-U	I Major County	40	-
A-16 / AC-055	SW 20 Avenue	SW 62 Boulevard	SR 121 / West 34 Street	Multimodal Corridor	2-U	II Major County	35	-
A-17	North Main Street	NW 8 Avenue	North 16 Avenue	-	2-D	II Major County	30	+5%
A-18	North Main Street	NW 23 Avenue	SR 222 / North 39 Avenue	-	4-D	I Major County	45	-
A-19 / AC-095	NW 39 Avenue	NW 110 Terrace	NW 98 Street	-	2-U	I Major County	45	-
A-20 / AC-065	SW 24 Avenue	SW 91 Street	SW 75 Street / Tower Road	-	2-U	II Major County	35	-
A-21 / AC-120	NW 51 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	-	2-U	II Major County	35	-
A-22 / AC-110	NW 98 Street	SR 26 / Newberry Road	CR 222 / NW 39 Avenue	-	2-U	II Major County	35	-
A-23 / AC-130	NW 83 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	-	2-U	II Major County	35	-
A-24 / AC-165	West 91 Street	SW 24 Avenue	SR 26 / Newberry Road	-	2-U	II Major County	35	-
A-26 / AC-140	SW 8 Avenue	SW 91 Street	SW 75 Street / Tower Road	-	2-U	II Major County	35	-
A-29 / AC-280	Kincaid Loop	SR 20 / Hawthorne Road	SR 20 / Hawthorne Road	-	2-U	II Major County	35	-
A-30 / AC-400	SW 40 Boulevard / Clarke Butler Boulevard / SW 43	SR 24 / Archer Road	SW 20 Avenue	-	2-D	II Major County	35	+5%
A-33	SW 24 Avenue	SW 122 Street / Parker Road	SW 91 Street	-	2-U	I Major County	45	-
A-36	SW 8 Avenue	SW 122 Street / Parker Road	SW 91 Street	-	2-U	I Major County	45	-
A-38 / AC-290	SE 43 Street	SR 20 / Hawthorne Road	SR 26 / East University Avenue	-	2-U	II Major County	35	-
A-39 / AC-270	SW 91 Street	Archer Road	SW 44 Avenue	-	2-D	II Major County	35	+5%
A-40 / AC-180	SW 46 Boulevard	SW 104 Terrace	Tower Road	-	2-D	II Major County	35	+5%
A-44 / AC-095	SW 75 Street	GMA	SR 24 / Archer Road	-	2-U	II Major County	35	-
A-45 / AC-160	Fort Clarke Boulevard	SR 26 / Newberry Road	NW 23 Avenue	-	2-D	II Major County	35	+5%
A-50	North Main Street	NW 16 Avenue	North 23 Avenue	-	4-U	I Major County	40	-25%

\*Segment contains one or more traffic signals that have been converted to roundabouts/flashers.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

**Table 2-A (Continued)**  
**Automotive/Highway Level of Service Characteristics for Alachua County Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or West Termini	Special Note A	Number of Lanes B	Roadway Class C	Speed Limit (Miles Per)	Median or Left Turn Adjustment D
<b>Transitioning Roadways J</b>								
A-2 / AC-005	North 53 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	-	2-U	I Major County	50	-
A-28 / AC-275	Rocky Point Road	SR 331/ Williston Road	US 441/ SW 13 Street	-	2-U	I Major County	45	-
A-31 / AC-285	Monteocha Road	NE 53 Avenue	11200 Block	-	3-U	I Major County	55	-
A-32 / AC-240	West 143 Street / CR 241	SR 26 / Newberry Road	Millhopper Road	-	2-U	I Major County	55	-
A-34 / AC-105	Millhopper Road	CR 241/ NW 143 Street	NW 71 Street	-	2-U	I Major County	45	-
A-35 / AC-210	SW 122 Street / Parker Road	SW 24 Avenue	SR 26 / Newberry Road	-	2-U	I Major County	45	-
A-37 / AC-100	NW 39 Avenue	CR 241	NW 110 Terrace	-	2-U	I Major County	45	-
A-41 / AC-200	SW 62 Avenue / SW 63 Boulevard	SR 121	SR 24 / Archer Road	-	2-U	I Major County	45	-
A-42 / AC-295	CR 329B / Lakeshore Drive	SR 20 / Hawthorne Road	SR 26 / East University Avenue	-	2-U	II Major County	35	-
A-43 / AC-300	NE 77 Avenue / CR 225A	Monteocha Road	SR 24 / Waldo Road	-	2-U	II Major County	30	-
A-46 / AC-050	NW 32 Avenue	GMA	CR 241/ NW 143 Street	-	2-U	II Major County	35	-
A-47	CR 234	Prairie Creek Bridge	SE 73 Drive	-	2-U	I Major County	55	-
A-48	SW 122 Street / Parker Road	Archer Road	SW 24 Avenue	-	2-U	I Major County	45	-
A-49	CR 231	SR 121	13000 Block	-	2-U	I Major County	55	-

t:\mike\los\los20\multimodal\19kdatan\_A.xls

Source: North Central Florida Regional Planning Council

\*Segment contains one or more traffic signals that have been converted to roundabouts/flashers.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest



**Table 2-B  
Automotive/Highway Level of Service Characteristics for Alachua County Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Adopted LOS Standard <sup>ε</sup>	Maximum Service Volume <sup>ƒ</sup>			Percent of Capacity	Available Service Volume	2019 AADT <sup>g</sup>	Level of Service <sup>h</sup>	
					Table	Calculated	Negotiated				Table	Calculated
<b>Urbanized Roadways</b>												
A-1 / AC-010	NW 53 Avenue	NW 71 Street	US 441/ NW 13 Street	E	15,930	-	TMPA	62%	6,028	9,902	C	-
A-3 / AC-025	NW 43 Street	SR 26 / Newberry Road	NW 53 Avenue	E	35,820	-	TMPA (part)	77%	8,412	27,408	C	-
A-6 / AC-030	NW 43 Street	NW 53 Avenue	US 441	E	15,930	-	TMPA (part)	101%	(180)	16,110	F	-
A-9 / AC-040	NW 23 Avenue	NW 98 Street	NW 55 Street	D	15,930	-	TCEA	116%	(2,548)	18,478	F	-
A-10 / AC-035	NW 23 Avenue	NW 55 Street	NW 43 Street	E	35,820	-	TMPA	67%	11,937	23,883	C	-
A-11	NW 16 Avenue	NW 43 Street	US 441/ NW 13 Street	E	35,820	-	TMPA	51%	17,628	18,192	C	-
A-12	North 16 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	E	14,740	-	TCEA	79%	3,145	11,595	D	-
A-13 / AC-090	SW 75 Street / Tower Road	SR 24 / Archer Road	SW 8 Avenue	D	15,930	-	TCEA	105%	(847)	16,777	F	-
A-14 / AC-085	NW 75 Street / Tower Road	SW 8 Avenue	SR 26/Newberry Road	D	35,820	-	TCEA	59%	14,633	21,187	C	-
A-15 / AC-060	SW 20 Avenue	SW 75 Street / Tower Road	SW 62 Boulevard	D	15,930	-	TCEA	123%	(3,668)	19,598	F	-
A-16 / AC-055	SW 20 Avenue	SW 62 Boulevard	SR 121/ West 34 Street	E	14,040	-	TMPA	139%	(5,452)	19,492	F	-
A-17	North Main Street	NW 8 Avenue	North 16 Avenue	E	14,740	-	TMPA	105%	(666)	15,406	F	-
A-18	North Main Street	NW 23 Avenue	SR 222 / North 39 Avenue	E	35,820	-	TMPA	35%	23,118	12,702	C	-
A-19 / AC-095	NW 39 Avenue	NW 110 Terrace	NW 98 Street	D	15,930	-	TCEA	119%	(3,092)	19,022	F	-
A-20 / AC-065	SW 24 Avenue	SW 91 Street	SW 75 Street / Tower Road	D	13,320	-	-	106%	(760)	14,080	F	-
A-21 / AC-120	NW 51 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	D	13,320	-	TMPA	58%	5,560	7,760	D	-
A-22 / AC-110	NW 98 Street	SR 26 / Newberry Road	CR 222 / NW 39 Avenue	D	13,320	-	TCEA	88%	1,549	11,771	D	-
A-23 / AC-130	NW 83 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	D	13,320	-	TCEA	144%	(5,849)	19,169	F	-
A-24 / AC-165	West 91 Street	SW 24 Avenue	SR 26 / Newberry Road	D	13,320	-	TCEA	51%	6,506	6,814	D	-
A-26 / AC-140	SW 8 Avenue	SW 91 Street	SW 75 Street / Tower Road	D	13,320	-	TCEA	34%	8,810	4,510	C	-
A-29 / AC-280	Kincaid Loop	SR 20 / Hawthorne Road	SR 20 / Hawthorne Road	D	13,320	-	TMPA (part)	29%	9,479	3,841	C	-
A-30 / AC-400	SW 40/Plaza/Butler Boulevards / SW 42/43	SR 24 / Archer Road	SW 20 Avenue	E	14,740	-	TMPA	51%	7,153	7,587	D	-
A-33	SW 24 Avenue	SW 122 Street / Parker Road	SW 91 Street	D	15,930	-	TCEA (part)	61%	6,272	9,658	C	-
A-36	SW 8 Avenue	SW 122 Street / Parker Road	SW 91 Street	D	15,930	-	TCEA (part)	24%	12,042	3,888	C	-
A-38 / AC-290	SE 43 Street	SR 20 / Hawthorne Road	SR 26 / East University Avenue	D	13,320	-	-	28%	9,541	3,779	C	-
A-39 / AC-270	SW 91 Street	Archer Road	SW 24 Avenue	D	13,985	-	TCEA	61%	5,447	8,538	D	-
A-40 / AC-180	SW 46 Boulevard	SW 104 Terrace	Tower Road	D	13,985	-	TCEA	34%	9,273	4,712	C	-
A-44 / AC-095	SW 75 Street	GMA	SR 24 / Archer Road	D	13,320	-	TCEA	23%	10,197	3,123	C	-
A-45 / AC-160	Fort Clarke Boulevard	SR 26 / Newberry Road	NW 23 Avenue	D	13,985	-	TCEA	91%	1,319	12,666	D	-
A-50	North Main Street	NW 16 Avenue	North 23 Avenue	E	26,865	-	TMPA	58%	11,288	15,577	C	-

<sup>ε</sup>Segment contains one or more traffic signals that have been converted to roundabouts/flashers.  
CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

**Table 2-B (Continued)**  
**Automotive/Highway Level of Service Characteristics for Alachua County Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Adopted LOS Standard	Maximum Service Volume F			Percent of Capacity	Available Service Volume	2019 AADT G	Level of Service H	
					Table	Calculated	Negotiated				Table	Calculated
<b>Transitioning Roadways</b>												
A-2 / AC-005	North 53 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	E	14,580	-	TMPA (part)	77%	3,386	11,194	C	-
A-28 / AC-275	Rocky Point Road	SR 331/ Williston Road	US 441/ SW 13 Street	D	14,580	-	-	27%	10,690	3,890	C	-
A-31 / AC-285	Monteocha Road	NE 53 Avenue	11200 Block	D	22,160	-	-	12%	19,395	2,765	C	-
A-32 / AC-240	West 143 Street / CR 241	SR 26 / Newberry Road	Millhopper Road	D	14,580	-	-	78%	3,185	11,395	C	-
A-34 / AC-105	Millhopper Road	CR 241/ NW 143 Street	NW 71 Street	D	14,580	-	TCEA (part)	42%	8,434	6,146	C	-
A-35 / AC-210	SW 122 Street / Parker Road	SW 24 Avenue	SR 26 / Newberry Road	D	14,580	-	-	75%	3,580	11,000	C	-
A-37 / AC-100	NW 39 Avenue	CR 241	NW 110 Terrace	D	14,580	-	-	95%	703	13,877	D	-
A-41 / AC-200	SW 62 Avenue / SW 63 Boulevard	SR 121	SR 24 / Archer Road	D	14,580	-	TCEA (part)	30%	10,190	4,390	C	-
A-42 / AC-295	CR 329B / Lakeshore Drive	SR 20 / Hawthorne Road	SR 26 / East University Avenue	D	11,970	-	-	6%	11,280	690	C	-
A-43 / AC-300	NE 77 Avenue / CR 225A	Monteocha Road	SR 24 / Waldo Road	D	11,970	-	-	4%	11,501	469	C	-
A-46 / AC-050	NW 32 Avenue	GMA	CR 241/ NW 143 Street	D	11,970	-	-	20%	9,626	2,344	C	-
A-47	CR 234	Prairie Creek Bridge	SE 73 Drive	D	14,580	-	-	4%	13,936	644	C	-
A-48	SW 122 Street / Parker Road	Archer Road	SW 24 Avenue	D	14,580	-	-	36%	9,371	5,209	C	-
A-49	CR 231	SR 121	13000 Block	D	14,580	-	-	28%	10,567	4,013	C	-

t:\mike\los\los20\multimodal\19kdata\an\_b.xlsx


Source: North Central Florida Regional Planning Council

\*Segment contains one or more traffic signals that have been converted to roundabouts/flashers.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW - Southwest

This Page Left Blank Intentionally

### Illustration V Gainesville Metropolitan Area Level of Service - City of Gainesville/University of Florida Roadways



Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area  
Multimodal Level of Service Report

**Table 3-A**  
**Automotive/Highway Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	Ffrom South or West Termini	To North or West Termini	A Special Note	Number of B Lanes	Roadway C Class	Speed Limit (M iles Per	Median or D Left Turn Adjustment
<b>Urbanized Roadways I</b>								
G-1	NW 55 Street	SR 26 / Newberry Road	NW 23 Avenue	-	2-U	II Major City	30	-20%
G-2	North 8 Avenue	SR 26 / Newberry Road	West 22 Street	-	4-U	I Major City	40	-5%
G-3	North 8 Avenue	NW 22 Street	NW 6 Street	-	2-U	II Major City	35	+5%
G-4	SW 62 Boulevard	NW 1 Place	SR 26 / Newberry Road	-	4-U	II Major City	35	-5%
G-5	NW 22 Street	SR 26 / University Avenue	NW 16 Avenue	-	2-U	II Major City	25	-
G-6	North 8 Avenue	North Main Street	SR 24 / Waldo Road	-	2-U	II Major City	30	-
G-7	South 2 Avenue	US 441/ West 13 Street	SE 7 Street	-	2-D	II Major City	30	+5%
G-8	West 6 Street	SW 16 Avenue	SW 4 Avenue	-	4-D	II Major City	35	-
G-9	West 6 Street	SW 4 Avenue	NW 8 Avenue	-	2-U	II Major City	30	-20%
G-10	NE 9 Street	SE 2 Avenue	NE 31 Avenue	-	2-U	II Major City	35	-
G-11	NW 38 Street	NW 8 Avenue	NW 16 Avenue	-	2-U	II Major City	30	-
G-12	NW 24 Boulevard	SR 222 / NW 39 Avenue	NW 53 Avenue	-	2-U	II Major City	30	-20%
G-13	North Main Street	SR 222/NW 39 Avenue	NW 53 Avenue	-	2-D	I Major City	45	+5%
G-14	NE 15 Street	SR 26/East University Avenue	NE 8 Avenue	-	2-U	II Major City	30	-20%
G-15	NE 15 Street	NE 16 Avenue	SR 222 / NE 39 Avenue	-	2-U	II Major City	30	-
G-16	NE 25 Street	SR 26 / East University Avenue	NE 8 Avenue	-	2-U	II Major City	30	-20%
G-17	SE 4 Street	SR 331/ Williston Road	Depot Avenue	-	2-U	II Major City	30	-20%
G-18	SE 4 Street - SE 22 Avenue	SR 331/ Williston Road	SE 15 Street	-	2-U	II Major City	35	-20%
G-19	North 8 Avenue	SR 24 / Waldo Road	NE 25 Street	-	2-U	II Major City	30	-
G-20	South 4 Avenue	US 441/ SW 13 Street	SE 15 Street	-	2-D	II Major City	30	+5%
G-21	SW 9 Road-Depot Avenue-SE 7 Avenue	US 441/ SW 13 Street	SE 15 Street	-	2-U	II Major City	30	-
G-22	South 2 Avenue	SE 7 Street	SR 331/ Williston Road	-	2-D	II Major City	30	+5%
G-23	NE 31 Avenue	North Main Street	SR 24 / Waldo Road	-	2-U	II Major City	30	-20%
G-24	NW 17 Street	SR 26 / West University Avenue	NW 8 Avenue	-	2-U	II Major City	25	-20%
G-25	West 12 Street	SW 4 Avenue	North 8 Avenue	-	2-U	II Major City	25	-20%
G-26	West 10 Street	SW 4 Avenue	NW 8 Avenue	-	2-U	II Major City	25	-
G-27	SW 16 Street	SW 16 Avenue	SR 24 / Archer Road	-	2-U	II Major City	30	+5%
G-28	NW 5 Avenue	NW 22 Street	US 441/ NW 13 Street	-	2-U	II Major City	25	-20%
G-29	West 3 Street	SW 4 Avenue	NW 8 Avenue	-	2-U 1-Way	II Major City	30	-40%
G-30	West 2 Street	SW 4 Avenue	NW 8 Avenue	-	2-U 1-Way	II Major City	30	-40%
G-31	Gale Lemerand Drive	SR 24 / Archer Road	Museum Road	Univ. of Fla.	4-U	II Major City	20	-5%
G-32	Radio Road-M useum Road	SR 121/South 34 Street	US 441/ South 13 Street	Univ. of Fla.	2-D	II Major City	20	+5%

\*Segment contains one or more traffic signals that have been converted to roundabouts/flashers.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

**Table 3-A (Continued)**  
**Automotive/Highway Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	F from South or West Termini	To North or West Termini	A Special Note	Number of B Lanes	Roadway C Class	Speed Limit (Miles Per	Median or D Left Turn Adjustment
<b>Urbanized Roadways I</b>								
<b>G-33</b>	East 1 Street	SE 2 Place	NE 8 Avenue	-	2-U	II Major City	30	-
<b>G-34</b>	East 3 Street	SE Depot Avenue	NE 2 Avenue	-	2-U	II Major City	30	-
<b>G-35</b>	Hull Road-Mowry Road	SW 34 Street	Center Drive	Univ. of Fla.	2-U	II Major City	20	-
<b>G-36</b>	NW 31 Avenue / Glen Springs Road	SR 121 / West 34 Street	NW 16 Terrace	-	2-U	II Major City	35	-
<b>G-37</b>	SW 23 Terrace	SR 331 / Williston Road	SR 24 / Archer Road	-	2-U	II Major City	35	+5%
<b>G-38</b>	NW 23 Boulevard	NW 16 Terrace	US 441 / West 13 Street	-	2-D	I Major City	40	+5%
<b>G-39</b>	Gale Lemerand Drive	Museum Road	SR 26 / West University Avenue	Univ. of Fla.	2-U	II Major City	20	-
<b>G-40</b>	South Main Street	Williston Road	Depot Avenue	-	4-D	II Major City	35	-
<b>G-41</b>	South Main Street	Depot Avenue	University Avenue	-	2-D	II Major City	30	+5%
<b>G-42</b>	SW 62 Boulevard	SW 20 Avenue	NW 1 Place	-	2-U	II Major City	35	-
<b>Transitioning Roadways J</b>								
-	None	-	-	-	-	-	-	-

\*Segment contains one or more traffic signals that have been converted to roundabouts/flashers.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

t:\mke\los\los20\multimodal\19cdata\_n\_A.xls

Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area  
Multimodal Level of Service Report

**Table 3-B**  
**Automotive/Highway Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Adopted LOS Standard <sup>E</sup>	Maximum Service Volume <sup>F</sup>			Percent of Capacity	Available Service Volume	2019 AADT <sup>G</sup>	Level of Service <sup>H</sup>	
					Table	Calculated	Negotiated				Table	Calculated
<b>Urbanized Roadways<sup>I</sup></b>												
<b>G-1</b>	NW 55 Street	SR 26 / Newberry Road	NW 23 Avenue	E	12,745	-	TMPA	87%	1,609	11,136	C	-
<b>G-2</b>	North 8 Avenue	SR 26 / Newberry Road	West 22 Street	E	34,030	-	TMPA	44%	19,023	15,007	C	-
<b>G-3</b>	North 8 Avenue	NW 22 Street	NW 6 Street	E	14,740	=	TMPA	101%	(196)	14,936	F	-
<b>G-4</b>	SW 62 Boulevard	NW 1 Place	SR 26 / Newberry Road	E	28,900	-	TMPA	68%	9,225	19,675	D	-
<b>G-5</b>	NW 22 Street	SR 26 / University Avenue	NW 16 Avenue	E	14,040	-	TMPA	36%	8,988	5,052	C	-
<b>G-6</b>	North 8 Avenue	North Main Street	SR 24 / Waldo Road	E	14,040	-	TMPA	71%	4,040	10,000	D	-
<b>G-7</b>	South 2 Avenue	US 441 / West 13 Street	SE 7 Street	E	14,740	-	TMPA	38%	9,114	5,626	C	-
<b>G-8</b>	West 6 Street	SW 16 Avenue	SW 4 Avenue	E	30,420	-	TMPA	29%	21,620	8,800	C	-
<b>G-9</b>	West 6 Street	SW 4 Avenue	NW 8 Avenue	E	11,230	-	TMPA	93%	830	10,400	D	-
<b>G-10</b>	NE 9 Street	SE 2 Avenue	NE 31 Avenue	E	14,040	-	TMPA	28%	10,163	3,877	C	-
<b>G-11</b>	NW 38 Street	NW 8 Avenue	NW 16 Avenue	E	14,040	-	TMPA	13%	12,158	1,882	C	-
<b>G-12</b>	NW 24 Boulevard	SR 222 / NW 39 Avenue	NW 53 Avenue	E	11,230	-	TMPA	23%	8,648	2,582	C	-
<b>G-13</b>	North Main Street	SR 222 / NW 39 Avenue	NW 53 Avenue	E	16,725	-	TMPA	44%	9,427	7,298	C	-
<b>G-14</b>	NE 15 Street	SR 26 / East University Avenue	NE 8 Avenue	E	11,230	-	TMPA	35%	7,259	3,971	C	-
<b>G-15</b>	NE 15 Street	NE 16 Avenue	SR 222 / NE 39 Avenue	E	14,040	-	TMPA	32%	9,519	4,521	C	-
<b>G-16</b>	NE 25 Street	SR 26 / East University Avenue	NE 8 Avenue	E	11,230	-	TMPA	46%	6,098	5,132	C	-
<b>G-17</b>	SE 4 Street	SR 331 / Williston Road	Depot Avenue	E	11,230	-	TMPA	28%	8,079	3,151	C	-
<b>G-18</b>	SE 4 Street - SE 22 Avenue	SR 331 / Williston Road	SE 15 Street	E	11,230	-	TMPA	40%	6,788	4,442	C	-
<b>G-19</b>	North 8 Avenue	SR 24 / Waldo Road	NE 25 Street	E	14,040	-	TMPA	48%	7,354	6,686	D	-
<b>G-20</b>	South 4 Avenue	US 441 / SW 13 Street	SE 15 Street	E	14,740	-	TMPA	24%	11,254	3,486	C	-
<b>G-21</b>	SW 9 Road-Depot Avenue-SE 7 Avenue	US 441 / SW 13 Street	SE 15 Street	E	14,040	-	TMPA	43%	8,015	6,025	C	-
<b>G-22</b>	South 2 Avenue	SE 7 Street	SR 331 / Williston Road	E	14,740	-	TMPA	10%	13,253	1,487	C	-
<b>G-23</b>	NE 31 Avenue	North Main Street	SR 24 / Waldo Road	E	11,230	-	TMPA	18%	9,167	2,063	C	-
<b>G-24</b>	NW 17 Street	SR 26 / West University Avenue	NW 8 Avenue	E	11,230	-	TMPA	16%	9,460	1,770	C	-
<b>G-25</b>	West 12 Street	SW 4 Avenue	North 8 Avenue	E	11,230	-	TMPA	44%	6,241	4,989	C	-
<b>G-26</b>	West 10 Street	SW 4 Avenue	NW 8 Avenue	E	14,040	-	TMPA	20%	11,165	2,875	C	-
<b>G-27</b>	SW 16 Street	SW 16 Avenue	SR 24 / Archer Road	E	14,740	-	TMPA	30%	10,379	4,361	C	-
<b>G-28</b>	NW 5 Avenue	NW 22 Street	US 441 / NW 13 Street	E	11,230	-	TMPA	21%	8,927	2,303	C	-
<b>G-29</b>	West 3 Street	SW 4 Avenue	NW 8 Avenue	E	8,845	-	TMPA	5%	8,436	409	C	-
<b>G-30</b>	West 2 Street	SW 4 Avenue	NW 8 Avenue	E	8,845	-	TMPA	4%	8,471	374	C	-
<b>G-31</b>	Gale Lemerand Drive	SR 24 / Archer Road	Museum Road	E	28,900	-	TMPA	37%	18,341	10,559	C	-
<b>G-32</b>	Radio Road-Museum Road	SR 12 / South 34 Street	US 441 / South 13 Street	E	14,740	-	TMPA	74%	3,848	10,892	D	-

<sup>I</sup>Segment contains one or more traffic signals that have been converted to roundabouts/flashes.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW - Southwest

**Table 3-B (Continued)**  
**Automotive/Highway Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Adopted LOS Standard	F Maximum Service Volume			Percent of Capacity	Available Service Volume	2019 AADT	H Level of Service	
					Table	Calculated	Negotiated				Table	Calculated
<b>Urbanized Roadways I</b>												
G-33	East 1 Street	SE 2 Place	NE 8 Avenue	E	14,040	-	TM PA	21%	11,111	2,929	C	-
G-34	East 3 Street	SE Depot Avenue	NE 2 Avenue	E	14,040	-	TM PA	30%	9,763	4,277	C	-
G-35	Hull Road-Mowry Road	SW 34 Street	Center Drive	E	14,040	-	TM PA	62%	5,312	8,728	D	-
G-36	NW 31 Avenue / Glen Springs Road	SR 121 / West 34 Street	NW 16 Terrace	E	14,040	-	TM PA	49%	7,134	6,906	D	-
G-37	SW 23 Terrace	SR 331 / Williston Road	SR 24 / Archer Road	E	14,740	-	TM PA	62%	5,553	9,187	D	-
G-38	NW 23 Boulevard	NW 16 Terrace	US 441 / West 13 Street	E	16,725	-	TM PA	62%	6,428	10,297	C	-
G-39	Gale Lemerand Drive	Museum Road	SR 26 / West University Avenue	E	14,040	-	TM PA	77%	3,184	10,856	D	-
G-40	South Main Street	Williston Road	Depot Avenue	E	30,420	-	TM PA	30%	21,220	9,200	C	-
G-41	South Main Street	Depot Avenue	University Avenue	E	14,740	-	TM PA	82%	2,640	12,100	D	-
G-42	SW 62 Boulevard	SW 20 Avenue	NW 1 Place	E	14,040	-	TM PA	145%	(6,319)	20,359	F	-
<b>Transitioning Roadways J</b>												
-	None	-	-	-	-	-	-	-	-	-	-	-

\*Segment contains one or more traffic signals that have been converted to roundabouts/flashers.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

t:\mike\los\los20\multimodal\19cdataan\_B.xls



**Notes For Tables 1, 2 and 3**  
**Automotive/Highway Level of Service Data**  
**within the Gainesville Metropolitan Area Boundary**

<b><u>TABLE</u></b>	<b><u>NOTE</u></b>	<b><u>DESCRIPTION</u></b>
1,2,3	A	<u>Constrained</u> means that it is not feasible to add through lanes to meet current or future traffic needs due to physical, environmental or policy constraints.
1,2		<u>SIS</u> - Roadway facility is part of the Florida Strategic Intermodal System or an Strategic Intermodal System Connector. These facilities are subject to the Florida Department of Transportation's adopted level of service standards in accordance with Procedure No. 525-000-006, Topic 525-000-006a.
1		<u>FIHS</u> - Roadway facility is part of the Florida Intrastate Highway System.
1,2		<u>Multimodal Corridor</u> is a roadway within the Gainesville Metropolitan Area which has been identified in the <u>Gainesville Multimodal Corridor and Park and Ride Study</u> for multimodal use.
1,2,3	B	Number of lanes is the number of lanes continuing through a signalized intersection.
1,2,3	C	Roadway Class identifies the corridor analysis category in the revised Florida Department of Transportation Generalized Tables (December 18, 2012) of the <u>2013 Quality/Level of Service Handbook</u> .
1,2,3	D	Adjustments relate to the use of the Florida Department of Transportation Generalized Tables.
1,2,3	E	Minimum acceptable highway level of service (LOS) standards are established in local government comprehensive plans and apply to facilities within their respective jurisdictions regardless of the entity responsible for maintaining the facility. Alachua County utilizes areawide level of service standards.
1,2,3	F	Maximum service volumes for the minimum acceptable highway level of service are reported for two levels- Tier One FDOT Generalized Tables for "non-distressed" facilities and Tier Two for "distressed" facilities.
1,2,3		<u>Tables</u> - these Florida Department of Transportation Generalized Tables volumes are based on statewide averages and may not reflect local conditions. These tables are used as a preliminary estimate and are considered sufficiently accurate for arterials where the average annual daily traffic (AADT) counts do not exceed 85% of the Generalized Tables service volume.
2		Roadway Facility S-17 is analyzed as a three-lane roadway in which the Generalized Tables service volumes for two- and four-lane roadways were averaged to estimate three-lane service volumes.
1,2,3		<u>Calculated</u> - Tier Two software analyses to provide a more accurate maximum service volume and levels of service by allowing the use of local data in the analyses. These analyses are applied to "distressed" facilities to estimate the service volume on arterials when the traffic counts exceed 85 percent of the Generalized Tables maximum service volume. [Updates of Florida Department of Transportation LOSPLAN files were suspended by the Level of Service Subcommittee in 2008]
1,2,3		<u>Negotiated</u> - service volumes set by agreements with the Florida Department of Transportation and/or Department of Economic Opportunity in areas which are established as special transportation areas, such as Transportation Mobility Program Areas, or on facilities which are designated as constrained.

**Notes For Tables 1, 2 and 3 (Continued)**  
**Automotive/Highway Level of Service Data**  
**within the Gainesville Metropolitan Area Boundary**

<u>TABLE</u>	<u>NOTE</u>	<u>DESCRIPTION</u>
1,2,3	G	<u>AADT</u> - Tier One-analyzed facilities use the median of the most recent annual traffic counts at each count station, then the median volume of the traffic count station median volumes is defined as the roadway facility average annual daily traffic (AADT). Tier Two-analysis is suspended.
1		For Florida State Highway System roadways, the volumes are taken from the Florida Department of Transportation 2019 Traffic information website.
2		For Alachua County roadways, the latest unfactored counts taken when the University of Florida, Santa Fe Community College and public schools are in session are used to determine current traffic.
3		For City of Gainesville roadways, the latest [year 2017, 2018 or 2019] unfactored counts taken when the University of Florida, Santa Fe Community College and public schools are in session are used to determine current traffic.
2,3		City and County arterials were analyzed using the Non-State service volume classifications as described in the <u>2020 Quality/Level of Service Handbook</u> .
1,2,3	H	<u>Tables</u> - FDOT Generalized Tables analyses for urban and transitioning areas.
1,2,3		<u>Tier Two Software Tool</u> - software used to estimate arterial highway level of service which replicates the calculations shown in the <u>Highway Capacity Manual 6th Edition</u> . Highway level of service of arterials which have median traffic counts which exceed 85 percent of the Generalized Tables service volume at the minimum acceptable highway level of service is suspended until a replacement analytical tool is selected.
1,2,3	I	<u>Urbanized Areas</u> are the 2010 urbanized areas designated by the U.S. Bureau of Census as well as the surrounding geographical areas as agreed upon by the Florida Department of Transportation, the Metropolitan Transportation Planning Organization and the Federal Highway Administration.
1,2	J	<u>Transitioning Areas</u> are the areas outside urbanized areas that are planned to be included within the urbanized areas within the next 20 years based primarily on the U.S. Bureau of Census urbanized criteria of a population density of at least 1,000 people per square mile.


## **B. Bicycle, Pedestrian and Transit**

Illustration VI shows the overall Gainesville Metropolitan Area bicycle level of service of federal aid-eligible facilities. For State of Florida-maintained and federal aid-eligible facilities, Table 4 identifies the overall Gainesville Metropolitan Area bicycle level of service. For Alachua County-maintained and federal aid-eligible facilities, Table 5 identifies the overall Gainesville Metropolitan Area bicycle level of service. For City of Gainesville-maintained and federal aid-eligible facilities, Table 6 identifies the overall Gainesville Metropolitan Area bicycle level of service.

Illustration VII shows the overall Gainesville Metropolitan Area pedestrian level of service of federal aid-eligible facilities. For State of Florida-maintained and federal aid-eligible facilities, Table 7 identifies the overall Gainesville Metropolitan Area pedestrian level of service. For Alachua County-maintained and federal aid-eligible facilities, Table 8 identifies the overall Gainesville Metropolitan Area pedestrian level of service. For City of Gainesville-maintained and federal aid-eligible facilities, Table 9 identifies the overall Gainesville Metropolitan Area pedestrian level of service.

Illustration VIII shows the overall Gainesville Metropolitan Area transit level of service of federal aid-eligible facilities. For State of Florida-maintained and federal aid-eligible facilities, Table 10 identifies the overall Gainesville Metropolitan Area transit level of service. For Alachua County-maintained and federal aid-eligible facilities, Table 11 identifies the overall Gainesville Metropolitan Area transit level of service. For City of Gainesville-maintained and federal aid-eligible facilities, Table 12 identifies the overall Gainesville Metropolitan Area transit level of service.

**Illustration VI**  
**Gainesville Metropolitan Area Bicycle Level of Service**



**Table 4  
Bicycle Level of Service - State - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Outside Lane Width	Pavement Condition	Bikelane/ Paved Shoulder		
<b>Urbanized Roadways</b>								
S-2	US 441/ SW 13 Street	SR 331/ Williston Road	SR 24 / Archer Road	Typical	Typical	Yes	20,500	B
S-3	US 441/ SW 13 Street	SR 24 / Archer Road	SR 26 / University Avenue	Wide	Typical	No	33,000	D
S-4	US 441/ NW 13 Street	SR 26 / University Avenue	NW 29 Road	Wide	Typical	No	29,000	D
S-5	US 441/ NW 13 Street	NW 29 Road	NW 23 Street	Typical	Typical	Yes	27,250	C
S-6	SR 20 / NW 6 Street	NW 8 Avenue	SR 222 / NW 39 Avenue	Typical	Typical	No	17,400	D
S-7	SR 20 / NW 6 Street	SR 222 / NW 39 Avenue	US 441/ West 13 Street	Typical	Typical	No	10,500	D
S-8	SR 20 / Hawthorne Road	SR 24 / Waldo Road	SE 43 Street	Typical	Typical	Yes	15,400	B
S-9	SR 24 / Archer Road	SW 75 Street / Tower Road	Interstate-75	Typical	Typical	Yes	27,250	D
S-10	SR 24 / Archer Road	Interstate -75	SR 121/ SW 34 Street	Wide	Typical	No	51,000	E
S-11	SR 24 / Archer Road	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	Typical	Typical	Yes	26,500	A
S-12	SR 24 / Waldo Road	SR 26 / University Avenue	SR 222 / NE 39 Avenue	Typical	Typical	Yes	27,331	B
S-14	SR 26 / Newberry Road	NW 122 Street	Interstate-75 [east ramp]	Typical	Typical	Yes	40,750	D
S-15	SR 26 / Newberry Road	Interstate -75 [east ramp]	NW 8 Avenue	Typical	Typical	Yes	49,500	E
S-16	SR 26 / Newberry Road	NW 8 Avenue	SR 121/ NW 34 Street	Typical	Typical	Yes	29,750	E
S-17	SR 26 / University Avenue	SR 121/ West 34 Street	Gale Lemerand Drive	Typical	Typical	Yes	22,250	C
S-18	SR 26 / University Avenue	Gale Lemerand Drive	US 441/ West 13 Street	Typical	Typical	Yes	29,500	A
S-19	SR 26 / University Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	Typical	Typical	Yes	19,100	D
S-20	SR 26 / University Avenue	SR 20 / Hawthorne Road	CR 329B / Lakeshore Drive	Wide	Typical	No	11,200	D
S-21	SR 26A / SW 2 Avenue	SR 26 / Newberry Road	SR 121/ West 34 Street	Typical	Typical	Yes	15,800	B
S-22	SR 26A / SW 2 Avenue	SR 121/ SW 34 Street	SR 26 / University Avenue	Typical	Typical	Yes	12,550	B
S-23	SR 121/ SW 34 Street	SR 331/ Williston Road	SR 24 / Archer Road	Typical	Typical	Yes	25,477	B
S-24	SR 121/ SW 34 Street	SR 24 / Archer Road	SR 26 / University Avenue	Typical	Typical	Yes	42,750	C
S-25	SR 121/ NW 34 Street	SR 26 / University Avenue	NW 16 Avenue	Wide	Typical	No	19,000	E
S-26	SR 121/ NW 34 Street	NW 16 Avenue	SR 222 / NW 39 Avenue	Typical	Typical	Yes	15,250	B
S-27	SR 121/ NW 34 Street	SR 222 / NW 39 Avenue	NW 53 Avenue	Typical	Typical	Yes	17,400	B
S-29	SR 222 / NW 39 Avenue	NW 98 Street	NW 83 Street	Typical	Typical	Yes	26,489	B
S-30	SR 222 / North 39 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	Typical	Typical	Yes	18,700	B
S-31	SR 222 / NE 39 Avenue	SR 24 / Waldo Road	End of 4-lane section	Typical	Typical	Yes	14,500	B
S-32	SR 222 / NE 39 Avenue	End of 4-lane section	NE 27 Avenue	Typical	Typical	Yes	11,100	B
S-33	SR 226 / SW 16 Avenue	SR 24 / Archer Road	US 441/ SW 13 Street	Typical	Typical	No	21,595	B
S-34	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	Main Street	Typical	Typical	No	21,000	D
S-35	SR 226 / SE 16 Avenue	Main Street	SR 331/ Williston Road	Typical	Typical	Yes	10,500	B
S-36	SR 120A / North 23 Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	Typical	Typical	No	13,600	D

**Table 4 (Continued)  
Bicycle Level of Service - State - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Outside Lane Width	Pavement Condition	Bikelane/ Paved Shoulder		
<b>Urbanized Roadways</b>								
S-37	SR 20 / Main Street	University Avenue	North 8 Avenue	Typical	Typical	Yes	14,650	B
S-38	SR 331/ SR 121	Interstate -75 (south)	US 441/ SW 13 Street	Typical	Typical	Yes	29,500	C
S-39	SR 331/ Williston Road	US 441/ SW 13 Street	SR 26 / University Avenue	Typical	Typical	Yes	24,000	C
S-40	SR 20 / NW 8 Avenue	NW 6 Street	North Main Street	Typical	Typical	Yes	17,200	B
S-41	Interstate -75	SR 331/ SR 121	SR 24 / Archer Road	N/A	N/A	N/A	83,500	N/A
S-42	Interstate -75	SR 24 / Archer Road	SR 26 / Newberry Road	N/A	N/A	N/A	89,000	N/A
S-43	Interstate -75	SR 26 / Newberry Road	SR 222 / NW 39 Avenue	N/A	N/A	N/A	57,000	N/A
S-46	SR 26 / University Avenue	CR 329B	Gainesville City Limit / GMA	Typical	Typical	Yes	4,600	B
S-47	SR 24 / Archer Road	SW 91 Street	SW 75 Street / Tower Road	Typical	Typical	Yes	21,500	B
S-50	US 441	NW 23 Street	NW 126 Avenue	Typical	Typical	Yes	20,400	C
S-52	Interstate -75	SR 222 / NW 39 Avenue	GMA	N/A	N/A	N/A	70,690	N/A
S-53	SR 222 / North 39 Avenue	NW 51 Street	US 441/ NW 13 Street	Typical	Typical	Yes	27,500	C
S-54	SR 121/ NW 34 Street	NW 53 Avenue	US 441/ NW 13 Street	Typical	Typical	Yes	11,000	B
S-55	SR 24 / Archer Road	SR 121/ SW 34 Street	SR 226 / SW 16 Avenue	Wide	Typical	No	51,000	B
S-56	SR 222 / NW 39 Avenue	NW 83 Street	NW 51 Street	Typical	Typical	No	31,500	C
<b>Transitioning Roadways</b>								
S-1	US 441/ SW 13 Street	Payne's Prairie	SR 331/ Williston Road	Typical	Typical	Yes	14,650	C
S-13	SR 24 / Waldo Road	SR 222 / NE 39 Avenue	CR 232 / NE 53 Avenue	Typical	Typical	Yes	18,300	B
S-28	SR 121/ NW 22 Street	US 441/ NW 13 Street	NW 128 Lane	Typical	Typical	Yes	11,488	C
S-44	SR 121	Wacahoota Road	Interstate 75 (south)	Typical	Typical	Yes	10,500	C
S-45	SR 26 / Newberry Road	SW 154 Street	NW 122 Street	Typical	Typical	Yes	22,950	C
S-48	SR 20 / Hawthorne Road	SE 43 Street	CR 329B / Lakeshore Drive	Typical	Typical	Yes	12,800	C
S-49	SR 20 / Hawthorne Road	CR 329B	CR 2082	Typical	Typical	Yes	10,200	C
S-51	Interstate -75	GMA	SR 331/ SR 121	N/A	N/A	N/A	65,500	N/A
S-57	SR 24 / Archer Road	CR 241/ Parker Road	SW 91 Street	Typical	Typical	Yes	16,750	B
S-58	SR 222 / NE 39 Avenue	NE 27 Avenue	State Road 26	Typical	Typical	Yes	7,700	C
S-59	SR 24 / Waldo Road	NE 53 Avenue	Milligan Still Road	Typical	Typical	Yes	17,600	C

t:\mike\los\los20\multimodal\19SDATAMM\_A.xlsx

Source: North Central Florida Regional Planning Council

**Note:** This table is not intended to be used for concurrency management purposes, since bike, pedestrian or transit LOS Standards do not exist. It is for information only.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

\* Data for highest segment identified

Facility Factor Options		
Outside Lane Width	Pavement Condition	Bikelane / Paved Shoulder
Narrow	Desirable	Yes/No
Typical	Typical	
Wide	Undesirable	
Custom	-	-

**Table 5  
Bicycle Level of Service - Alachua County - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Outside Lane Width	Pavement Condition	Bikelane/ Paved Shoulder		
<b>Urbanized Roadways</b>								
A-1 / AC-010	NW 53 Avenue	NW 71 Street	US 441/ NW 13 Street	Typical	Typical	Yes	9,902	B
A-3 / AC-025	NW 43 Street	SR 26 / Newberry Road	NW 53 Avenue	Typical	Typical	Yes	27,408	C
A-6 / AC-030	NW 43 Street	NW 53 Avenue	US 441	Typical	Typical	Yes	16,110	B
A-9 / AC-040	NW 23 Avenue	NW 98 Street	NW 55 Street	Typical	Typical	Yes	18,478	D
A-10 / AC-035	NW 23 Avenue	NW 55 Street	NW 43 Street	Typical	Typical	Yes	23,883	D
A-11	NW 16 Avenue	NW 43 Street	US 441/ NW 13 Street	Typical	Typical	Yes	18,192	D
A-12	North 16 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	Typical	Typical	Yes	11,595	C
A-13 / AC-090	SW 75 Street / Tower Road	SR 24 / Archer Road	SW 8 Avenue	Typical	Typical	Yes	16,777	E
A-14 / AC-085	NW 75 Street / Tower Road	SW 8 Avenue	SR 26/Newberry Road	Typical	Typical	No	21,187	D
A-15 / AC-060	SW 20 Avenue	SW 75 Street / Tower Road	SW 62 Boulevard	Typical	Typical	Yes	19,598	C
A-16 / AC-055	SW 20 Avenue	SW 62 Boulevard	SR 121/ West 34 Street	Typical	Typical	Yes	19,492	C
A-17	North Main Street	NW 8 Avenue	North 16 Avenue	Typical	Typical	Yes	15,406	B
A-18	North Main Street	NW 23 Avenue	SR 222 / North 39 Avenue	Typical	Typical	Yes	12,702	B
A-19 / AC-095	NW 39 Avenue	NW 110 Terrace	NW 98 Street	Typical	Typical	Yes	19,022	B
A-20 / AC-065	SW 24 Avenue	SW 91 Street	SW 75 Street / Tower Road	Typical	Typical	No	14,080	E
A-21 / AC-120	NW 51 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	Typical	Typical	Yes	7,760	C
A-22 / AC-110	NW 98 Street	SR 26 / Newberry Road	CR 222 / NW 39 Avenue	Typical	Typical	No	11,771	E
A-23 / AC-130	NW 83 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	Typical	Typical	No	19,169	E
A-24 / AC-165	West 91 Street	SW 24 Avenue	SR 26 / Newberry Road	Typical	Typical	No	6,814	D
A-26 / AC-140	SW 8 Avenue	SW 91 Street	SW 75 Street / Tower Road	Typical	Typical	Yes	4,510	B
A-29 / AC-280	Kincaid Loop	SR 20 / Hawthorne Road	SR 20 / Hawthorne Road	Typical	Typical	No	3,841	C
A-30 / AC-400	SW 40 Boulevard / SW 42 / 43 Street	SR 24 / Archer Road	SW 20 Avenue	Typical	Typical	No	7,587	E
A-33	SW 24 Avenue	SW 122 Street / Parker Road	SW 91 Street	Typical	Typical	No	9,658	D
A-36	SW 8 Avenue	SW 122 Street / Parker Road	SW 91 Street	Typical	Typical	No	3,888	C
A-38 / AC-290	SE 43 Street	SR 20 / Hawthorne Road	SR 26 / East University Avenue	Typical	Typical	No	3,779	D
A-39 / AC-270	SW 91 Street	Archer Road	SW 44 Avenue	Typical	Typical	Yes	8,538	B
A-40 / AC-180	SW 46 Boulevard	SW 104 Terrace	Tower Road	Typical	Typical	No	4,712	B
A-44 / AC-095	SW 75 Street	GMA	SR 24 / Archer Road	Typical	Typical	No	3,123	C
A-45 / AC-160	Fort Clarke Boulevard	SR 26 / Newberry Road	NW 23 Avenue	Typical	Typical	No	12,666	E
A-50	North Main Street	NW 16 Avenue	North 23 Avenue	Typical	Typical	Yes	15,577	D

Source: North Central Florida Regional Planning Council

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA- Outside Transit Service Area

\* Data for highest segment identified

**Table 5 (Continued)**  
**Bicycle Level of Service - Alachua County - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Outside Lane Width	Pavement Condition	Bikelane/ Paved Shoulder		
<b>Transitioning Roadways</b>								
A-2 / AC-005	North 53 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	Typical	Typical	Yes	11,194	B
A-28 / AC-275	Rocky Point Road	SR 331/ Williston Road	US 441/ SW 13 Street	Typical	Typical	Yes	3,890	D
A-31 / AC-285	Monteocha Road	NE 53 Avenue	11200 Block	Typical	Typical	Yes	2,765	A
A-32 / AC-240	West 143 Street / CR 241	SR 26 / Newberry Road	Millhopper Road	Typical	Typical	Yes	11,395	C
A-34 / AC-105	Millhopper Road	CR 241/ NW 143 Street	NW 71 Street	Typical	Typical	Yes	6,146	C
A-35 / AC-210	SW 122 Street / Parker Road	SW 24 Avenue	SR 26 / Newberry Road	Typical	Typical	Yes	11,000	C
A-37 / AC-100	NW 39 Avenue	CR 241	NW 110 Terrace	Typical	Typical	Yes	13,877	C
A-41 / AC-200	SW 40/Plaza/Butler Boulevards / SW 42/43	SR 121	SR 24 / Archer Road	Typical	Typical	No	4,390	D
A-42 / AC-295	CR 329B / Lakeshore Drive	SR 20 / Hawthorne Road	SR 26 / East University Avenue	Typical	Typical	No	690	C
A-43 / AC-300	NE 77 Avenue / CR 225A	Monteocha Road	SR 24 / Waldo Road	Typical	Typical	No	469	B
A-46 / AC-050	NW 32 Avenue	GMA	CR 241/ NW 143 Street	Typical	Typical	No	2,344	C
A-47	CR 234	Prairie Creek Bridge	SE 73 Drive	Typical	Typical	Yes	644	C
A-48	SW 122 Street / Parker Road	Archer Road	SW 24 Avenue	Typical	Typical	Yes	5,209	B
A-49	CR 231	SR 121	13000 Block	Typical	Typical	No	4,013	D

t:\mike\los\los20\Multimodal\19kdatamm\_A.xlsx

Source: North Central Florida Regional Planning Council

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA - Outside Transit Service Area

\* Data for highest segment identified

Facility Factor Options		
Outside Lane Width	Pavement Condition	Bikelane / Paved Shoulder
Narrow	Desirable	Yes/No
Typical	Typical	
Wide	Undesirable	
Custom	-	-



**Table 6**  
**Bicycle Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Outside Lane Width	Pavement Condition	Bikelane/Paved Shoulder		
<b>Urbanized Roadways</b>								
G-1	NW 55 Street	SR 26 / Newberry Road	NW 23 Avenue	Typical	Typical	Yes	11,136	B
G-2	North 8 Avenue	SR 26 / Newberry Road	West 22 Street	Typical	Typical	No	15,007	D
G-3	North 8 Avenue	NW 22 Street	NW 6 Street	Typical	Typical	No	14,936	E
G-4	SW 62 Boulevard	NW 1Place	SR 26 / Newberry Road	Typical	Typical	No	19,675	D
G-5	NW 22 Street	SR 26 / University Avenue	NW 16 Avenue	Typical	Typical	No	5,052	C
G-6	North 8 Avenue	North Main Street	SR 24 / Waldo Road	Typical	Typical	No	10,000	D
G-7	South 2 Avenue	US 441/ West 13 Street	SE 7 Street	Typical	Typical	Yes	5,626	A
G-8	West 6 Street	SW 16 Avenue	SW 4 Avenue	Typical	Typical	No	8,800	C
G-9	West 6 Street	SW 4 Avenue	NW 8 Avenue	Typical	Typical	No	10,400	B
G-10	NE 9 Street	SE 2 Avenue	NE 31 Avenue	Typical	Typical	Yes	3,877	A
G-11	NW 38 Street	NW 8 Avenue	NW 16 Avenue	Typical	Typical	Yes	1,882	A
G-12	NW 24 Boulevard	SR 222 / NW 39 Avenue	NW 53 Avenue	Typical	Typical	No	2,582	C
G-13	North Main Street	SR 222 / NW 39 Avenue	NW 53 Avenue	Wide	Typical	No	7,298	C
G-14	NE 15 Street	SR 26 / East University Avenue	NE 8 Avenue	Wide	Typical	No	3,971	C
G-15	NE 15 Street	NE 16 Avenue	SR 222 / NE 39 Avenue	Wide	Typical	No	4,521	C
G-16	NE 25 Street	SR 26 / East University Avenue	NE 8 Avenue	Typical	Typical	No	5,132	D
G-17	SE 4 Street	SR 331/ Williston Road	Depot Avenue	Typical	Typical	No	3,151	C
G-18	SE 4 Street - SE 22 Avenue	SR 331/ Williston Road	SE 15 Street	Typical	Typical	No	4,442	D
G-19	North 8 Avenue	SR 24 / Waldo Road	NE 25 Street	Wide	Typical	No	6,686	D
G-20	South 4 Avenue	US 441/ SW 13 Street	SE 15 Street	Typical	Typical	No	3,486	C
G-21	SW 9 Road-Depot Avenue-SE 7 Avenue	US 441/ SW 13 Street	SE 15 Street	Typical	Typical	No	6,025	C
G-22	South 2 Avenue	SE 7 Street	SR 331/ Williston Road	Typical	Typical	Yes	1,487	A
G-23	NE 31 Avenue	North Main Street	SR 24 / Waldo Road	Typical	Typical	No	2,063	C
G-24	NW 17 Street	SR 26 / West University Avenue	NW 8 Avenue	Typical	Typical	Yes	1,770	A
G-25	West 12 Street	SW 4 Avenue	North 8 Avenue	Typical	Typical	Yes	4,989	B
G-26	West 10 Street	SW 4 Avenue	NW 8 Avenue	Typical	Typical	No	2,875	C
G-27	SW 16 Street	SW 16 Avenue	SR 24 / Archer Road	Typical	Typical	Yes	4,361	A
G-28	NW 5 Avenue	NW 22 Street	US 441/ NW 13 Street	Typical	Typical	No	2,303	C
G-29	West 3 Street	SW 4 Avenue	NW 8 Avenue	Typical	Typical	No	409	B
G-30	West 2 Street	SW 4 Avenue	NW 8 Avenue	Typical	Typical	No	374	B
G-31	Gale Lemerand Drive	SR 24/Archer Road	Museum Road	Typical	Typical	Yes	10,559	A
G-32	Radio Road-Museum Road	SR 121/ South 34 Street	US 441/ South 13 Street	Typical	Typical	Yes	10,892	B

t:\mike\los\los20\multimodal\19\odattamm\_a.xls

Source: North Central Florida Regional Planning Council

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA- Outside Transit Service Area

\* Data for highest segment identified

**Table 6 (Continued)**  
**Bicycle Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Outside Lane Width	Pavement Condition	Bikelane/ Paved Shoulder		
<b>Urbanized Roadways</b>								
G-33	East 1 Street	SE 2 Place	NE 8 Avenue	Wide	Typical	No	2,929	B
G-34	East 3 Street	SE Depot Avenue	NE 2 Avenue	Typical	Typical	No	4,277	C
G-35	Hull Road-Mowry Road	SW 34 Street	Center Drive	Typical	Typical	Yes	8,728	C
G-36	NW 31 Avenue / Glen Springs Road	SR 121/ West 34 Street	NW 16 Terrace	Typical	Typical	No	6,906	D
G-37	SW 23 Terrace	SR 331/ Williston Road	SR 24 / Archer Road	Typical	Typical	Yes	9,187	B
G-38	NW 23 Boulevard	NW 16 Terrace	US 441/ West 13 Street	Typical	Typical	Yes	10,297	B
G-39	Gale Lemerand Drive	Museum Road	SR 26 / West University Avenue	Typical	Typical	Yes	10,856	B
G-40	South Main Street	Williston Road	Depot Avenue	Typical	Typical	No	9,200	C
G-41	South Main Street	Depot Avenue	University Avenue	Typical	Typical	Yes	12,100	A
G-42	SW 62 Boulevard	SW 20 Avenue	NW 1 Place	Typical	Typical	No	20,359	E
<b>Transitioning Roadways</b>								
-	None	-	-	-	-	-	-	-

t:\mike\los\los20\multimodal\19cdatamm\_axls

Source: North Central Florida Regional Planning Council


CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA - Outside Transit Service Area

\* Data for highest segment identified

Facility Factor Options		
Outside Lane Width	Pavement Condition	Bikelane / Paved Shoulder
Narrow	Desirable	Yes/No
Typical	Typical	
Wide	Undesirable	
Custom	-	-

This Page Left Blank Intentionally

**Illustration VII**  
**Gainesville Metropolitan Area Pedestrian Level of Service**



**Table 7  
Pedestrian Level of Service - State - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Sidewalk (Percent)	Roadway			
					Separation	Barrier		
<b>Urbanized Roadways</b>								
S-2	US 441/ SW 13 Street	SR 331/ Williston Road	SR 24 / Archer Road	100	Typical	No	20,500	C
S-3	US 441/ SW 13 Street	SR 24 / Archer Road	SR 26 / University Avenue	100	Typical	No	33,000	D
S-4	US 441/ NW 13 Street	SR 26 / University Avenue	NW 29 Road	100	Typical	No	29,000	D
S-5	US 441/ NW 13 Street	NW 29 Road	NW 23 Street	60	Typical	No	27,250	D
S-6	SR 20 / NW 6 Street	NW 8 Avenue	SR 222 / NW 39 Avenue	100	Typical	No	17,400	C
S-7	SR 20 / NW 6 Street	SR 222 / NW 39 Avenue	US 441/ West 13 Street	100	Typical	No	10,500	B
S-8	SR 20 / Hawthorne Road	SR 24 / Waldo Road	SE 43 Street	100	Typical	No	15,400	C
S-9	SR 24 / Archer Road	SR 75 Street / Tower Road	Interstate -75	100	Typical	No	27,250	D
S-10	SR 24 / Archer Road	Interstate -75	SR 121/ SW 34 Street	100	Typical	No	51,000	E
S-11	SR 24 / Archer Road	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	100	Typical	No	26,500	C
S-12	SR 24 / Waldo Road	SR 26 / University Avenue	SR 222 / NE 39 Avenue	100	Typical	No	27,331	D
S-14	SR 26 / Newberry Road	NW 122 Street	Interstate-75 [east ramp]	100	Typical	No	40,750	D
S-15	SR 26 / Newberry Road	Interstate -75 [east ramp]	NW 8 Avenue	100	Typical	No	49,500	D
S-16	SR 26 / Newberry Road	NW 8 Avenue	SR 121/ NW 34 Street	100	Typical	No	29,750	D
S-17	SR 26 / University Avenue	SR 121/ West 34 Street	Gale Lemerand Drive	100	Typical	No	22,250	D
S-18	SR 26 / University Avenue	Gale Lemerand Drive	US 441/ West 13 Street	100	Typical	No	29,500	D
S-19	SR 26 / University Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	100	Typical	No	19,100	C
S-20	SR 26 / University Avenue	SR 20 / Hawthorne Road	CR 329B / Lakeshore Drive	100	Typical	No	11,200	C
S-21	SR 26A / SW 2 Avenue	SR 26 / Newberry Road	SR 121/ West 34 Street	100	Typical	No	15,800	B
S-22	SR 26A / SW 2 Avenue	SR 121/ SW 34 Street	SR 26 / University Avenue	100	Typical	No	12,550	B
S-23	SR 121/ SW 34 Street	SR 331/ Williston Road	SR 24 / Archer Road	100	Typical	No	25,477	C
S-24	SR 121/ SW 34 Street	SR 24 / Archer Road	SR 26 / University Avenue	100	Typical	No	42,750	D
S-25	SR 121/ NW 34 Street	SR 26 / University Avenue	NW 16 Avenue	100	Typical	No	19,000	D
S-26	SR 121/ NW 34 Street	NW 16 Avenue	SR 222 / NW 39 Avenue	100	Typical	No	15,250	C
S-27	SR 121/ NW 34 Street	SR 222 / NW 39 Avenue	NW 53 Avenue	100	Typical	No	17,400	C
S-29	SR 222 / NW 39 Avenue	NW 98 Street	NW 83 Street	100	Typical	No	26,489	D
S-30	SR 222 / North 39 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	100	Typical	No	18,700	C
S-31	SR 222 / NE 39 Avenue	SR 24 / Waldo Road	End of 4-lane section	100	Typical	No	14,500	C
S-32	SR 222 / NE 39 Avenue	End of 4-lane section	NE 27 Avenue	No	-	-	11,100	OTSA
S-33	SR 226 / SW 16 Avenue	SR 24 / Archer Road	US 441/ SW 13 Street	100	Typical	No	21,595	C
S-34	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	Main Street	100	Typical	No	21,000	C
S-35	SR 226 / SE 16 Avenue	Main Street	SR 331/ Williston Road	No	-	-	10,500	D
S-36	SR 120A / North 23 Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	100	Typical	No	13,600	B

**Table 7 (Continued)**  
**Pedestrian Level of Service - State - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Sidewalk (Percent)	Roadway			
					Separation	Barrier		
<b>Urbanized Roadways</b>								
S-37	SR 20 / Main Street	University Avenue	North 8 Avenue	100	Typical	No	14,650	D
S-38	SR 331/ SR 121	Interstate -75 (south)	US 441/ SW 13 Street	100	Typical	No	29,500	D
S-39	SR 331/ Williston Road	US 441/ SW 13 Street	SR 26 / University Avenue	100	Typical	No	24,000	D
S-40	SR 20 / NW 8 Avenue	NW 6 Street	North Main Street	100	Typical	No	17,200	B
S-41	Interstate -75	SR 331/ SR 121	SR 24 / Archer Road	N/A	N/A	N/A	83,500	N/A
S-42	Interstate -75	SR 24 / Archer Road	SR 26 / Newberry Road	N/A	N/A	N/A	89,000	N/A
S-43	Interstate -75	SR 26 / Newberry Road	SR 222 / NW 39 Avenue	N/A	N/A	N/A	57,000	N/A
S-46	SR 26 / University Avenue	CR 329B	Gainesville City Limit / GMA	No	-	-	4,600	D
S-47	SR 24 / Archer Road	SW 91 Street	SW 75 Street / Tower Road	90	Typical	No	21,500	E
S-50	US 441	NW 23 Street	NW 126 Avenue	No	-	-	20,400	OTSA
S-52	Interstate -75	SR 222 / NW 39 Avenue	GMA	N/A	N/A	N/A	70,690	N/A
S-53	SR 222 / North 39 Avenue	NW 51 Street	US 441/ NW 13 Street	100	Typical	No	27,500	D
S-54	SR 121/ NW 34 Street	NW 53 Avenue	US 441/ NW 13 Street	100	Typical	No	11,000	C
S-55	SR 24 / Archer Road	SR 121/ SW 34 Street	SR 226 / SW 16 Avenue	100	Typical	No	51,000	E
S-56	SR 222 / NW 39 Avenue	NW 83 Street	NW 51 Street	100	Typical	No	31,500	E
<b>Transitioning Roadways</b>								
S-1	US 441/ SW 13 Street	Payne's Prairie	SR 331/ Williston Road	No	Typical	No	14,650	E
S-13	SR 24 / Waldo Road	SR 222 / NE 39 Avenue	CR 232 / NE 53 Avenue	30	Typical	No	18,300	D
S-28	SR 121/ NW 22 Street	US 441/ NW 13 Street	NW 128 Lane	No	-	-	11,488	OTSA
S-44	SR 121	Wacahoota Road	Interstate 75 (south)	100	Typical	No	10,500	E
S-45	SR 26 / Newberry Road	SW 154 Street	NW 122 Street	100	Typical	No	22,950	C
S-48	SR 20 / Hawthorne Road	SE 43 Street	CR 329B / Lakeshore Drive	100	Typical	No	12,800	C
S-49	SR 20 / Hawthorne Road	CR 329B	CR 2082	No	-	-	10,200	OTSA
S-51	Interstate -75	GMA	SR 331/ SR 121	N/A	N/A	N/A	65,500	N/A
S-57	SR 24 / Archer Road	CR 241/ Parker Road	SW 91 Street	No	-	-	16,750	OTSA
S-58	SR 222 / NE 39 Avenue	NE 27 Avenue	State Road 26	No	-	-	7,700	OTSA
S-59	SR 24 / Waldo Road	NE 53 Avenue	Milligan Still Road	No	-	-	17,600	OTSA

t:\mike\los\os20\multimodal\19SDATAMM\_B.xlsx

Source: North Central Florida Regional Planning Council

**Note:** This table is not intended to be used for concurrency management purposes, since bike, pedestrian or transit LOS Standards do not exist. It is for information only.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest

\* Data for highest segment identified

Pedestrian Factor Options		
Sidewalk [Percent]	Roadway	
	Separation	Barrier
Percent	Adjacent	Yes/No
Development	Typical	
Code	Wide	
Conformity	-	

**Table 8  
Pedestrian Level of Service - Alachua County - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Sidewalk (Percent)	Roadway			
					Separation	Barrier		
<b>Urbanized Roadways</b>								
A-1 / AC-010	NW 53 Avenue	NW 71 Street	US 441/ NW 13 Street	75	Typical	No	9,902	D
A-3 / AC-025	NW 43 Street	SR 26 / Newberry Road	NW 53 Avenue	100	Typical	No	27,408	D
A-6 / AC-030	NW 43 Street	NW 53 Avenue	US 441	100	Typical	No	16,110	C
A-9 / AC-040	NW 23 Avenue	NW 98 Street	NW 55 Street	100	Wide	No	18,478	E
A-10 / AC-035	NW 23 Avenue	NW 55 Street	NW 43 Street	100	Typical	No	23,883	C
A-11	NW 16 Avenue	NW 43 Street	US 441/ NW 13 Street	100	Typical	No	18,192	C
A-12	North 16 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	100	Typical	No	11,595	C
A-13 / AC-090	SW 75 Street / Tower Road	SR 24 / Archer Road	SW 8 Avenue	100	Typical	No	16,777	D
A-14 / AC-085	NW 75 Street / Tower Road	SW 8 Avenue	SR 26/Newberry Road	100	Typical	No	21,187	C
A-15 / AC-060	SW 20 Avenue	SW 75 Street / Tower Road	SW 62 Boulevard	100	Typical	No	19,598	E
A-16 / AC-055	SW 20 Avenue	SW 62 Boulevard	SR 121/ West 34 Street	100	Typical	No	19,492	F
A-17	North Main Street	NW 8 Avenue	North 16 Avenue	100	Typical	No	15,406	C
A-18	North Main Street	NW 23 Avenue	SR 222 / North 39 Avenue	100	Typical	No	12,702	C
A-19 / AC-095	NW 39 Avenue	NW 110 Terrace	NW 98 Street	100	Typical	No	19,022	B
A-20 / AC-065	SW 24 Avenue	SW 91 Street	SW 75 Street / Tower Road	100	Typical	No	14,080	D
A-21 / AC-120	NW 51 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	100	Typical	No	7,760	C
A-22 / AC-110	NW 98 Street	SR 26 / Newberry Road	CR 222 / NW 39 Avenue	100	Typical	No	11,771	C
A-23 / AC-130	NW 83 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	100	Typical	No	19,169	E
A-24 / AC-165	West 91 Street	SW 24 Avenue	SR 26 / Newberry Road	100	Typical	No	6,814	C
A-26 / AC-140	SW 8 Avenue	SW 91 Street	SW 75 Street / Tower Road	100	Typical	No	4,510	B
A-29 / AC-280	Kincaid Loop	SR 20 / Hawthorne Road	SR 20 / Hawthorne Road	100	Typical	No	3,841	C
A-30 / AC-400	SW 40/Plaza/Butler Boulevards / SW 42/43	SR 24 / Archer Road	SW 20 Avenue	100	Typical	No	7,587	E
A-33	SW 24 Avenue	SW 122 Street / Parker Road	SW 91 Street	100	Typical	No	9,658	C
A-36	SW 8 Avenue	SW 122 Street / Parker Road	SW 91 Street	0	Typical	No	3,888	OTSA
A-38 / AC-290	SE 43 Street	SR 20 / Hawthorne Road	SR 26 / East University Avenue	100	Typical	No	3,779	C
A-39 / AC-270	SW 91 Street	Archer Road	SW 44 Avenue	100	Typical	No	8,538	C
A-40 / AC-180	SW 46 Boulevard	SW 104 Terrace	Tower Road	100	Typical	No	4,712	D
A-44 / AC-095	SW 75 Street	GMA	SR 24 / Archer Road	100	Typical	No	3,123	OTSA
A-45 / AC-160	Fort Clarke Boulevard	SR 26 / Newberry Road	NW 23 Avenue	100	Typical	No	12,666	C
A-50	North Main Street	NW 16 Avenue	North 23 Avenue	100	Typical	No	15,577	C

Source: North Central Florida Regional Planning Council

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA- Outside Transit Service Area

\* Data for highest segment identified

**Table 8 (Continued)**  
**Pedestrian Level of Service - Alachua County - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Sidewalk (Percent)	Roadway			
					Separation	Barrier		
<b>Transitioning Roadways</b>								
A-2 / AC-005	North 53 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	0	Typical	No	11,194	D
A-28 / AC-275	Rocky Point Road	SR 331/ Williston Road	US 441/ SW 13 Street	100	Typical	No	3,890	D
A-31 / AC-285	Monteocha Road	NE 53 Avenue	11200 Block	0	Typical	No	2,765	OTSA
A-32 / AC-240	West 143 Street / CR 241	SR 26 / Newberry Road	Millhopper Road	0	Typical	No	11,395	OTSA
A-34 / AC-105	Millhopper Road	CR 241/ NW 143 Street	NW 71 Street	100	Typical	No	6,146	OTSA
A-35 / AC-210	SW 122 Street / Parker Road	SW 24 Avenue	SR 26 / Newberry Road	100	Typical	No	11,000	OTSA
A-37 / AC-100	NW 39 Avenue	CR 241	NW 110 Terrace	100	Typical	No	13,877	F
A-41 / AC-200	SW 62 Avenue / SW 63 Boulevard	SR 121	SR 24 / Archer Road	0	Typical	No	4,390	E
A-42 / AC-295	CR 329B / Lakeshore Drive	SR 20 / Hawthorne Road	SR 26 / East University Avenue	0	Typical	No	690	OTSA
A-43 / AC-300	NE 77 Avenue / CR 225A	Monteocha Road	SR 24 / Waldo Road	0	Typical	No	469	OTSA
A-46 / AC-050	NW 32 Avenue	GMA	CR 241/ NW 143 Street	0	Typical	No	2,344	OTSA
A-47	CR 234	Prairie Creek Bridge	SE 73 Drive	0	Typical	No	644	OTSA
A-48	SW 122 Street / Parker Road	Archer Road	SW 24 Avenue	0	Typical	No	5,209	OTSA
A-49	CR 231	SR 121	13000 Block	0	Typical	No	4,013	OTSA

t:\mike\los\los20\l\multimodal\19kdatamm\_B.xlsx

Source: North Central Florida Regional Planning Council

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA - Outside Transit Service Area

\* Data for highest segment identified

Pedestrian Factor Options		
Sidewalk [Percent]	Roadway	
	Separation	Barrier
Percent	Adjacent	Yes/No
Development	Typical	
Code	Wide	
Conformity	-	



**Table 9  
Pedestrian Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Sidewalk (Percent)	Roadway			
					Separation	Barrier		
<b>Urbanized Roadways</b>								
G-1	NW 55 Street	SR 26/Newberry Road	NW 23 Avenue	100	Typical	No	11,136	B
G-2	North 8 Avenue	SR 26/Newberry Road	West 22 Street	100	Typical	No	15,007	C
G-3	North 8 Avenue	NW 22 Street	NW 6 Street	100	Wide	No	14,936	D
G-4	SW 62 Boulevard	NW 1 Place	SR 26 / Newberry Road	100	Wide	No	19,675	C
G-5	NW 22 Street	SR 26/University Avenue	NW 16 Avenue	100	Typical	No	5,052	B
G-6	North 8 Avenue	North Main Street	SR 24/Waldo Road	100	Typical	No	10,000	C
G-7	South 2 Avenue	US 441/West 13 Street	SE 7 Street	100	Typical	No	5,626	B
G-8	West 6 Street	SW 16 Avenue	SW 4 Avenue	100	Typical	No	8,800	B
G-9	West 6 Street	SW 4 Avenue	NW 8 Avenue	100	Typical	No	10,400	C
G-10	NE 9 Street	SE 2 Avenue	NE 31 Avenue	100	Typical	No	3,877	B
G-11	NW 38 Street	NW 8 Avenue	NW 16 Avenue	100	Typical	No	1,882	A
G-12	NW 24 Boulevard	SR 222/NW 39 Avenue	NW 53 Avenue	100	Typical	No	2,582	B
G-13	North Main Street	SR 222/NW 39 Avenue	NW 53 Avenue	50	Typical	No	7,298	D
G-14	NE 15 Street	SR 26/East University Avenue	NE 8 Avenue	100	Typical	No	3,971	B
G-15	NE 15 Street	NE 16 Avenue	SR 222/NE 39 Avenue	100	Typical	No	4,521	B
G-16	NE 25 Street	SR 26/East University Avenue	NE 8 Avenue	100	Typical	No	5,132	B
G-17	SE 4 Street	SR 331/Williston Road	Depot Avenue	100	Typical	No	3,151	B
G-18	SE 4 Street - SE 22 Avenue	SR 331/Williston Road	SE 15 Street	100	Typical	No	4,442	B
G-19	North 8 Avenue	SR 24/Waldo Road	NE 25 Street	100	Typical	No	6,686	B
G-20	South 4 Avenue	US 441/SW 13 Street	SE 15 Street	100	Typical	No	3,486	B
G-21	SW 9 Road-Depot Avenue-SE 7 Avenue	US 441/SW 13 Street	SE 15 Street	100	Typical	No	6,025	B
G-22	South 2 Avenue	SE 7 Street	SR 331/Williston Road	100	Typical	No	1,487	A
G-23	NE 31 Avenue	North Main Street	SR 24/Waldo Road	100	Typical	No	2,063	B
G-24	NW 17 Street	SR 26/West University Avenue	NW 8 Avenue	100	Typical	No	1,770	A
G-25	West 12 Street	SW 4 Avenue	North 8 Avenue	100	Typical	No	4,989	A
G-26	West 10 Street	SW 4 Avenue	NW 8 Avenue	100	Typical	No	2,875	A
G-27	SW 16 Street	SW 16 Avenue	SR 24/Archer Road	100	Typical	No	4,361	B
G-28	NW 5 Avenue	NW 22 Street	US 441/NW 13 Street	100	Typical	No	2,303	B
G-29	West 3 Street	SW 4 Avenue	NW 8 Avenue	100	Typical	No	409	A
G-30	West 2 Street	SW 4 Avenue	NW 8 Avenue	100	Typical	No	374	A
G-31	Gale Lemerand Drive	SR 24/Archer Road	Museum Road	100	Typical	No	10,559	B
G-32	Radio Road-Museum Road	SR 121/South 34 Street	US 441/South 13 Street	100	Typical	No	10,892	B

t:\mike\los\los20\multimodal\19cdata\mm\_b.xls

Source: North Central Florida Regional Planning Council

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA - Outside Transit Service Area

\* Data for highest segment identified

**Table 9 (Continued)**  
**Pedestrian Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Facility Factors			Average Daily Traffic	Level of Service
				Sidewalk (Percent)	Roadway			
					Separation	Barrier		
<b>Urbanized Roadways</b>								
G-33	East 1 Street	SE 2 Place	NE 8 Avenue	100	Typical	No	2,929	A
G-34	East 3 Street	SE Depot Avenue	NE 2 Avenue	100	Typical	No	4,277	B
G-35	Hull Road-Mowry Road	SW 34 Street	Center Drive	100	Typical	No	8,728	B
G-36	NW 31 Avenue/Glen Springs Road	SR 121/West 34 Street	NW 16 Terrace	100	Typical	No	6,906	C
G-37	SW 23 Terrace	SR 331/Williston Road	SR 24/Archer Road	100	Typical	No	9,187	C
G-38	NW 23 Boulevard	NW 16 Terrace	US 441/West 13 Street	100	Typical	No	10,297	C
G-39	Gale Lemerand Drive	Museum Road	SR 26/West University Avenue	100	Typical	No	10,856	C
G-40	South Main Street	Williston Road	Depot Avenue	100	Typical	No	9,200	B
G-41	South Main Street	Depot Avenue	University Avenue	100	Typical	No	12,100	B
G-42	SW 62 Boulevard	SW 20 Avenue	NW 1 Place	100	Typical	No	20,359	D
<b>Transitoning Roadways</b>								
-	None	-	-	-	-	-	-	-

t:\mike\los\los20\multimodal\19cdatamm\_b.xls

Source: North Central Florida Regional Planning Council


CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA - Outside Transit Service Area

\* Data for highest segment identified

Pedestrian Factor Options		
Sidewalk [Percent]	Roadway	
	Separation	Barrier
Percent	Adjacent	Yes/No
Development Code	Typical	
	Wide	
Conformity	-	

This Page Left Blank Intentionally

### Illustration VIII Gainesville Metropolitan Area Transit Level of Service



**Table 10**  
**Transit Level of Service - State - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Factors			Average Daily Traffic	Level of Service
				Obstacle to Bus Stop	Frequency* (Per Hour)	Service Span (Hours)		
<b>Urbanized Roadways</b>								
<b>S-2</b>	US 441/ SW 13 Street	SR 331/ Williston Road	SR 24 / Archer Road	No	7	20	20,500	B
<b>S-3</b>	US 441/ SW 13 Street	SR 24 / Archer Road	SR 26 / University Avenue	No	9	20	33,000	B
<b>S-4</b>	US 441/ NW 13 Street	SR 26 / University Avenue	NW 29 Road	No	5	14	29,000	C
<b>S-5</b>	US 441/ NW 13 Street	NW 29 Road	NW 23 Street	No	3	16	27,250	E
<b>S-6</b>	SR 20 / NW 6 Street	NW 8 Avenue	SR 222 / NW 39 Avenue	No	3	16	17,400	E
<b>S-7</b>	SR 20 / NW 6 Street	SR 222 / NW 39 Avenue	US 441/ West 13 Street	No	1	13	10,500	E
<b>S-8</b>	SR 20 / Hawthorne Road	SR 24 / Waldo Road	SE 43 Street	No	1	13	15,400	F
<b>S-9</b>	SR 24 / Archer Road	SW 75 Street / Tower Road	Interstate -75	No	2	14	27,250	D
<b>S-10</b>	SR 24 / Archer Road	Interstate -75	SR 121/ SW 34 Street	No	3	21	51,000	D
<b>S-11</b>	SR 24 / Archer Road	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	No	17	21	26,500	A
<b>S-12</b>	SR 24 / Waldo Road	SR 26 / University Avenue	SR 222 / East 39 Avenue	No	1	13	27,331	D
<b>S-14</b>	SR 26 / Newberry Road	NW 122 Street	Interstate-75 [east ramp]	No	2	14	40,750	F
<b>S-15</b>	SR 26 / Newberry Road	Interstate -75 [east ramp]	NW 8 Avenue	No	5	20	49,500	C
<b>S-16</b>	SR 26 / Newberry Road	NW 8 Avenue	SR 121/ NW 34 Street	No	3	20	29,750	D
<b>S-17</b>	SR 26 / University Avenue	SR 121/ West 34 Street	Gale Lemerand Drive	No	2	20	22,250	D
<b>S-18</b>	SR 26 / University Avenue	Gale Lemerand Drive	US 441/ West 13 Street	No	10	20	29,500	A
<b>S-19</b>	SR 26 / University Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	No	4	21	19,100	E
<b>S-20</b>	SR 26 / University Avenue	SR 20 / Hawthorne Road	CR 329B / Lakeshore Drive	No	2	13	11,200	E
<b>S-21</b>	SR 26A / SW 2 Avenue	SR 26 / Newberry Road	SR 121/ West 34 Street	No	2	20	15,800	E
<b>S-22</b>	SR 26A / SW 2 Avenue	SR 121/ SW 34 Street	SR 26 / University Avenue	No	6	20	12,550	A
<b>S-23</b>	SR 121/ SW 34 Street	SR 331/ Williston Road	SR 24 / Archer Road	No	14	21	25,477	A
<b>S-24</b>	SR 121/ SW 34 Street	SR 24 / Archer Road	SR 26 / University Avenue	No	12	21	42,750	B
<b>S-25</b>	SR 121/ NW 34 Street	SR 26 / University Avenue	NW 16 Avenue	No	1	14	19,000	E
<b>S-26</b>	SR 121/ NW 34 Street	NW 16 Avenue	SR 222 / NW 39 Avenue	No	1	14	15,250	E
<b>S-27</b>	SR 121/ NW 34 Street	SR 222 / NW 39 Avenue	NW 53 Avenue	No	2	14	17,400	D
<b>S-29</b>	SR 222 / NW 39 Avenue	NW 98 Street	NW 83 Street	OTSA	OTSA	OTSA	26,489	OTSA
<b>S-30</b>	SR 222 / North 39 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	No	2	16	18,700	E
<b>S-31</b>	SR 222 / NE 39 Avenue	SR 24 / Waldo Road	End of 4-lane section	No	3	11	14,500	C
<b>S-32</b>	SR 222 / NE 39 Avenue	End of 4-lane section	NE 27 Avenue	OTSA	OTSA	OTSA	11,100	OTSA
<b>S-33</b>	SR 226 / SW 16 Avenue	SR 24 / Archer Road	US 441/ SW 13 Street	No	14	21	21,595	B
<b>S-34</b>	SR 226 / SW 16 Avenue	US 441/ SW 13 Street	Main Street	No	4	20	21,000	B
<b>S-35</b>	SR 226 / SE 16 Avenue	Main Street	SR 331/ Williston Road	No	2	20	10,500	D
<b>S-36</b>	SR 120A / North 23 Avenue	US 441/ West 13 Street	SR 24 / Waldo Road	No	1	16	13,600	E

**Table 10 (Continued)**  
**Transit Level of Service - State - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Factors			Average Daily Traffic	Level of Service
				Obstacle to Bus Stop	Frequency* (Per Hour)	Service Span (Hours)		
<b>Urbanized Roadways</b>								
S-37	SR 20 / Main Street	University Avenue	North 8 Avenue	No	4	16	14,650	E
S-38	SR 331/ SR 121	Interstate -75 (south)	US 441/ SW 13 Street	No	6	20	29,500	D
S-39	SR 331/ Williston Road	US 441/ SW 13 Street	SR 26 / University Avenue	No	3	19	24,000	F
S-40	SR 20 / NW 8 Avenue	NW 6 Street	North Main Street	No	1	11	17,200	E
S-41	Interstate -75	SR 331/ SR 121	SR 24 / Archer Road	N/A	N/A	N/A	83,500	N/A
S-42	Interstate -75	SR 24 / Archer Road	SR 26 / Newberry Road	N/A	N/A	N/A	89,000	N/A
S-43	Interstate -75	SR 26 / Newberry Road	SR 222 / NW 39 Avenue	N/A	N/A	N/A	57,000	N/A
S-46	SR 26 / University Avenue	CR 329B	Gainesville City Limit / GMA	OTSA	OTSA	OTSA	4,600	OTSA
S-47	SR 24 / Archer Road	SW 91 Street	SW 75 Street / Tower Road	OTSA	OTSA	OTSA	21,500	OTSA
S-50	US 441	NW 23 Street	NW 126 Avenue	OTSA	OTSA	OTSA	20,400	OTSA
S-52	Interstate -75	SR 222 / NW 39 Avenue	GMA	N/A	N/A	N/A	70,690	N/A
S-53	SR 222 / North 39 Avenue	NW 51 Street	US 441/ NW 13 Street	No	2	16	27,500	D
S-54	SR 121/ NW 34 Street	NW 53 Avenue	US 441/ NW 13 Street	No	3	16	11,000	D
S-55	SR 24 / Archer Road	SR 121/ SW 34 Street	SR 226 / SW 16 Avenue	No	24	21	51,000	A
S-56	SR 222 / NW 39 Avenue	NW 83 Street	NW 51 Street	No	2	16	31,500	C
<b>Transitoning Roadways</b>								
S-1	US 441/ SW 13 Street	Payne's Prairie	SR 331/ Williston Road	No	4	19	14,650	C
S-13	SR 24 / Waldo Road	SR 222 / NE 39 Avenue	CR 232 / NE 53 Avenue	No	1	19	18,300	F
S-28	SR 121/ NW 22 Street	US 441/ NW 13 Street	NW 128 Lane	OTSA	OTSA	OTSA	11,488	OTSA
S-44	SR 121	Wacahoota Road	Interstate 75 (south)	OTSA	OTSA	OTSA	10,500	OTSA
S-45	SR 26 / Newberry Road	SW 154 Street	NW 122 Street	OTSA	OTSA	OTSA	22,950	OTSA
S-48	SR 20 / Hawthorne Road	SE 43 Street	CR 329B / Lakeshore Drive	OTSA	OTSA	OTSA	12,800	OTSA
S-49	SR 20 / Hawthorne Road	CR 329B	CR 2082	OTSA	OTSA	OTSA	10,200	OTSA
S-51	Interstate -75	GMA	SR 331/ SR 121	N/A	N/A	N/A	65,500	N/A
S-57	SR 24 / Archer Road	CR 241/ Parker Road	SW 91 Street	OTSA	OTSA	OTSA	16,750	OTSA
S-58	SR 222 / NE 39 Avenue	NE 27 Avenue	State Road 26	OTSA	OTSA	OTSA	7,700	OTSA
S-59	SR 24 / Waldo Road	NE 53 Avenue	Milligan Still Road	OTSA	OTSA	OTSA	17,600	OTSA

t:\mike\los\los20\Multimodal\19SDATAMM\_C.xls

Source: North Central Florida Regional Planning Council

**Note:** This table is not intended to be used for concurrency management purposes, since bike, pedestrian or transit LOS Standards do not exist. It is for information only.

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA - Outside Transit Service Area

\* Data for highest segment identified

Factor Options		
Obstacle to Bus Stop	Frequency [Per Hour]	Service Span
Yes/No	Headways per hour [peak period]	Hours per day

**Table 11  
Transit Level of Service - Alachua County - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Factors			Average Daily Traffic	Level of Service
				Obstacle to Bus Stop	Frequency* (Per Hour)	Service Span (Hours)		
<b>Urbanized Roadways</b>								
A-1 / AC-010	NW 53 Avenue	NW 71 Street	US 441/ NW 13 Street	No	2	15	9,902	F
A-3 / AC-025	NW 43 Street	SR 26 / Newberry Road	NW 53 Avenue	No	2	16	27,408	E
A-6 / AC-030	NW 43 Street	NW 53 Avenue	US 441	OTSA	OTSA	OTSA	16,110	OTSA
A-9 / AC-040	NW 23 Avenue	NW 98 Street	NW 55 Street	No	2	16	18,478	E
A-10 / AC-035	NW 23 Avenue	NW 55 Street	NW 43 Street	No	1	15	23,883	F
A-11	NW 16 Avenue	NW 43 Street	US 441/ NW 13 Street	No	1	15	18,192	E
A-12	North 16 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	No	4	16	11,595	D
A-13 / AC-090	SW 75 Street / Tower Road	SR 24 / Archer Road	SW 8 Avenue	No	2	14	16,777	D
A-14 / AC-085	NW 75 Street / Tower Road	SW 8 Avenue	SR 26/Newberry Road	No	2	14	21,187	E
A-15 / AC-060	SW 20 Avenue	SW 75 Street / Tower Road	SW 62 Boulevard	No	2	14	19,598	D
A-16 / AC-055	SW 20 Avenue	SW 62 Boulevard	SR 121/ West 34 Street	No	16	19	19,492	A
A-17	North Main Street	NW 8 Avenue	North 16 Avenue	No	3	13	15,406	C
A-18	North Main Street	NW 23 Avenue	SR 222 / North 39 Avenue	No	1	8	12,702	E
A-19 / AC-095	NW 39 Avenue	NW 110 Terrace	NW 98 Street	OTSA	OTSA	OTSA	19,022	OTSA
A-20 / AC-065	SW 24 Avenue	SW 91 Street	SW 75 Street / Tower Road	No	1	10	14,080	E
A-21 / AC-120	NW 51 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	OTSA	OTSA	OTSA	7,760	OTSA
A-22 / AC-110	NW 98 Street	SR 26 / Newberry Road	CR 222 / NW 39 Avenue	OTSA	OTSA	OTSA	11,771	OTSA
A-23 / AC-130	NW 83 Street	NW 23 Avenue	SR 222 / NW 39 Avenue	No	5	15	19,169	D
A-24 / AC-165	West 91 Street	SW 24 Avenue	SR 26 / Newberry Road	OTSA	OTSA	OTSA	6,814	OTSA
A-26 / AC-140	SW 8 Avenue	SW 91 Street	SW 75 Street / Tower Road	OTSA	OTSA	OTSA	4,510	OTSA
A-29 / AC-280	Kincaid Loop	SR 20 / Hawthorne Road	SR 20 / Hawthorne Road	No	3	13	3,841	E
A-30 / AC-400	SW 40 Boulevard / Clarke Butler Boulevard / SW 43 Avenue	SR 24 / Archer Road	SW 20 Avenue	No	14	16	7,587	A
A-33	SW 24 Avenue	SW 122 Street / Parker Road	SW 91 Street	OTSA	OTSA	OTSA	9,658	OTSA
A-36	SW 8 Avenue	SW 122 Street / Parker Road	SW 91 Street	OTSA	OTSA	OTSA	3,888	OTSA
A-38 / AC-290	SE 43 Street	SR 20 / Hawthorne Road	SR 26 / East University Avenue	No	1	16	3,779	F
A-39 / AC-270	SW 91 Street	Archer Road	SW 44 Avenue	No	16	19	8,538	OTSA
A-40 / AC-180	SW 46 Boulevard	SW 104 Terrace	Tower Road	OTSA	OTSA	OTSA	4,712	OTSA
A-44 / AC-095	SW 75 Street	GMA	SR 24 / Archer Road	OTSA	OTSA	OTSA	3,123	OTSA
A-45 / AC-160	Fort Clarke Boulevard	SR 26 / Newberry Road	NW 23 Avenue	No	3	15	12,666	C
A-50	North Main Street	NW 16 Avenue	North 23 Avenue	No	1	13	15,577	E

**Table 11 (Continued)**  
**Transit Level of Service - Alachua County - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Factors			Average Daily Traffic	Level of Service
				Obstacle to Bus Stop	Frequency* (Per Hour)	Service Span (Hours)		
<b>Transitioning Roadways</b>								
A-2 / AC-005	North 53 Avenue	US 441/ NW 13 Street	SR 24 / Waldo Road	No	1	13	11,194	F
A-28 / AC-275	Rocky Point Road	SR 331/ Williston Road	US 441/ SW 13 Street	OTSA	OTSA	OTSA	3,890	OTSA
A-31 / AC-285	Monteocha Road	NE 53 Avenue	11200 Block	OTSA	OTSA	OTSA	2,765	OTSA
A-32 / AC-240	West 143 Street / CR 241	SR 26 / Newberry Road	Millhopper Road	OTSA	OTSA	OTSA	11,395	OTSA
A-34 / AC-105	Millhopper Road	CR 241/ NW 143 Street	NW 71 Street	OTSA	OTSA	OTSA	6,146	OTSA
A-35 / AC-210	SW 122 Street / Parker Road	SW 24 Avenue	SR 26 / Newberry Road	OTSA	OTSA	OTSA	11,000	OTSA
A-37 / AC-100	NW 39 Avenue	CR 241	NW 110 Terrace	OTSA	OTSA	OTSA	13,877	OTSA
A-41 / AC-200	SW 62 Avenue / SW 63 Boulevard	SR 121	SR 24 / Archer Road	OTSA	OTSA	OTSA	4,390	OTSA
A-42 / AC-295	CR 329B / Lakeshore Drive	SR 20 / Hawthorne Road	SR 26 / East University Avenue	OTSA	OTSA	OTSA	690	OTSA
A-43 / AC-300	NE 77 Avenue / CR 225A	Monteocha Road	SR 24 / Waldo Road	OTSA	OTSA	OTSA	469	OTSA
A-46 / AC-050	NW 32 Avenue	GMA	CR 241/ NW 143 Street	OTSA	OTSA	OTSA	2,344	OTSA
A-47	CR 234	Prairie Creek Bridge	SE 73 Drive	OTSA	OTSA	OTSA	644	OTSA
A-48	SW 122 Street / Parker Road	Archer Road	SW 24 Avenue	OTSA	OTSA	OTSA	5,209	OTSA
A-49	CR 231	SR 121	13000 Block	OTSA	OTSA	OTSA	4,013	OTSA

t:\mike\los\los20\Multimodal\19kdatamm\_C.xlsx

Source: North Central Florida Regional Planning Council

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA - Outside Transit Service Area

\* Data for highest segment identified

Factor Options		
Obstacle to Bus Stop	Frequency [Per Hour]	Service Span
Yes/No	Headways per hour [peak period]	Hours per day



**Table 12**  
**Transit Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Factors			Average Daily Traffic	Level of Service
				Obstacle to Bus Stop	Frequency* (Per Hour)	Service Span (Hours)		
<b>Urbanized Roadways</b>								
G-1	NW 55 Street	SR 26 / Newberry Road	NW 23 Avenue	No	3	15	11,136	E
G-2	North 8 Avenue	SR 26 / Newberry Road	West 22 Street	No Service	No Service	No Service	15,007	No Service
G-3	North 8 Avenue	NW 22 Street	NW 6 Street	No Service	No Service	No Service	14,936	OTSA
G-4	SW 62 Boulevard	NW 1Place	SR 26 / Newberry Road	No	8	20	19,675	A
G-5	NW 22 Street	SR 26 / University Avenue	NW 16 Avenue	No Service	No Service	No Service	5,052	No Service
G-6	North 8 Avenue	North Main Street	SR 24 / Waldo Road	No	3	12	10,000	D
G-7	South 2 Avenue	US 441/ West 13 Street	SE 7 Street	No	5	16	5,626	B
G-8	West 6 Street	SW 16 Avenue	SW 4 Avenue	No Service	No Service	No Service	8,800	No Service
G-9	West 6 Street	SW 4 Avenue	NW 8 Avenue	No	2	13	10,400	E
G-10	NE 9 Street	SE 2 Avenue	NE 31 Avenue	No	2	16	3,877	F
G-11	NW 38 Street	NW 8 Avenue	NW 16 Avenue	No Service	No Service	No Service	1,882	No Service
G-12	NW 24 Boulevard	SR 222 / NW 39 Avenue	NW 53 Avenue	No Service	No Service	No Service	2,582	No Service
G-13	North Main Street	SR 222 / NW 39 Avenue	NW 53 Avenue	No Service	No Service	No Service	7,298	No Service
G-14	NE 15 Street	SR 26 / East University Avenue	NE 8 Avenue	No Service	No Service	No Service	3,971	E
G-15	NE 15 Street	NE 16 Avenue	SR 222 / NE 39 Avenue	No	3	16	4,521	D
G-16	NE 25 Street	SR 26 / East University Avenue	NE 8 Avenue	No	3	16	5,132	F
G-17	SE 4 Street	SR 331/ Williston Road	Depot Avenue	No	2	13	3,151	C
G-18	SE 4 Street - SE 22 Avenue	SR 331/ Williston Road	SE 15 Street	No	4	20	4,442	D
G-19	North 8 Avenue	SR 24 / Waldo Road	NE 25 Street	No	3	16	6,686	C
G-20	South 4 Avenue	US 441/ SW 13 Street	SE 15 Street	No	4	16	3,486	E
G-21	SW 9 Road-Depot Avenue-SE 7 Avenue	US 441/ SW 13 Street	SE 15 Street	No	6	15	6,025	E
G-22	South 2 Avenue	SE 7 Street	SR 331/ Williston Road	No	1	11	1,487	F
G-23	NE 31 Avenue	North Main Street	SR 24 / Waldo Road	No Service	No Service	No Service	2,063	No Service
G-24	NW 17 Street	SR 26 / West University Avenue	NW 8 Avenue	No Service	No Service	No Service	1,770	No Service
G-25	West 12 Street	SW 4 Avenue	North 8 Avenue	No	3	16	4,989	F
G-26	West 10 Street	SW 4 Avenue	NW 8 Avenue	No Service	No Service	No Service	2,875	No Service
G-27	SW 16 Street	SW 16 Avenue	SR 24 / Archer Road	No	10	19	4,361	A
G-28	NW 5 Avenue	NW 22 Street	US 441/ NW 13 Street	No Service	No Service	No Service	2,303	No Service
G-29	West 3 Street	SW 4 Avenue	NW 8 Avenue	No Service	No Service	No Service	409	No Service
G-30	West 2 Street	SW 4 Avenue	NW 8 Avenue	No Service	No Service	No Service	374	No Service
G-31	Gale Lemerand Drive	SR 24/Archer Road	Museum Road	No	22	20	10,559	A
G-32	Radio Road-Museum Road	SR 121/South 34 Street	US 441/ South 13 Street	No	42	19	10,892	A

t:\mike\los\los20\multimodal\19\datamm\_c.xls

**Table 12 (Continued)**  
**Transit Level of Service - City of Gainesville/University of Florida - Maintained Roadways**

Assigned Roadway Number	Roadway	From South or West Termini	To North or East Termini	Factors			Average Daily Traffic	Level of Service
				Obstacle to Bus Stop	Frequency* (Per Hour)	Service Span (Hours)		
<b>Urbanized Roadways</b>								
G-33	East 1 Street	SE 2 Place	NE 8 Avenue	No Service	No Service	No Service	2,929	No Service
G-34	East 3 Street	SE Depot Avenue	NE 2 Avenue	No	12	20	4,277	A
G-35	Hull Road-Mowry Road	SW 34 Street	Center Drive	No	22	19	8,728	A
G-36	NW 31 Avenue/ Glen Springs Road	SR 121/ West 34 Street	NW 16 Terrace	No	4	16	6,906	D
G-37	SW 23 Terrace	SR 331/ Williston Road	SR 24 / Archer Road	No	15	19	9,187	A
G-38	NW 23 Boulevard	NW 16 Terrace	US 441/ West 13 Street	No	4	16	10,297	B
G-39	Gale Lemerand Drive	Museum Road	SR 26 / West University Avenue	No	16	19	10,856	A
G-40	South Main Street	Williston Road	Depot Avenue	No	2	21	9,200	F
G-41	South Main Street	Depot Avenue	University Avenue	No	1	21	12,100	E
G-42	SW 62 Boulevard	SW 20 Avenue	NW 1 Place	No	8	20	20,359	A
<b>Transitioning Roadways</b>								
-	None	-	-	-	-	-	-	-

t:\mike\los\los20\multimodal\19cdatamm\_c.xls

Source: North Central Florida Regional Planning Council

CR - County Road, GMA - Gainesville Metropolitan Area, N/A - Not Applicable, NE - Northeast, NW - Northwest, SE - Southeast, SR - State Road, SW Southwest, OTSA - Outside Transit Service Area

\* Data for highest segment identified

Factor Options		
Obstacle to Bus Stop	Frequency [Per Hour]	Service Span
Yes/No	Headways per hour [peak period]	Hours per day

## C. Roadway Facilities Operating at an Unacceptable Level of Service

Illustration IX shows the roadway facilities that are operating at an unacceptable level of service, based on 2019 traffic counts for State of Florida-maintained, Alachua County-maintained and City of Gainesville-maintained facilities. Exhibit II-1 identifies the sensitive intersection for each facility. A sensitive intersection is the intersection for which its performance causes the facility to operate at an unacceptable level of service. The sensitive intersection maximum service volume is the facility maximum service volume.


**Exhibit II-1  
Sensitive Intersection with High Congestion**

ID	Roadway Facility	From	To	Sensitive Intersection	2019 AADT	G/C	2019 LOS	V/C
S-14	Newberry Road [SR 26]	SW 122 Street	Interstate-75 [east ramp]	Tower Road /NW 75 Street	#	#	F	#
S-22	SW 2 Avenue [SR 26A]	SW 34 Street [SR 121]	University Avenue [SR 26]	SW 34 Street [SR 121]	#	#	F	#
S-25	NW 34 Street [SR 121]	University Avenue	NW 16 Avenue	NW 8 Avenue	#	#	F	#
S-47	Archer Road [SR 24]	SW 91 Street	SW 75 Street	SW 91 Street	#	#	F	#
S-57	Archer Road [SR 24]	SW 122 Street	SW 91 Street	SW 91 Street	#	#	F	#
A-6	NW 43 Street	NW 53 Avenue	US Highway 441	US Highway 441	#	#	F	#
A-9	NW 23 Avenue	NW 98 Street	NW 55 Street	NW 83 Street	#	#	F	#
A-13	Tower Road	Archer Road	SW 8 Avenue	SW 46 Boulevard	#	#	F	#
A-15	SW 24 Avenue	Tower Road	SW 62 Boulevard	Tower Road	#	#	F	#
A-16	SW 20 Avenue	SW 62 Boulevard	SW 34 Street	SW 43 Street	#	#	F	#
A-17	N Main Street	N 8 Avenue	N 16 Avenue	NW 10 Avenue	#	#	F	#
A-19	SW 20 Avenue	NW 110 Terrace	NW 98 Street	NW 98 Street	#	#	F	#
A-20	SW 24 Avenue	SW 91 Street	SW 75 Street	SW 75 Street	#	#	F	#
A-23	NW 83 Street	NW 23 Avenue	NW 39 Avenue	NW 39 Avenue	#	#	F	#
G-3	NW 8 Avenue	NW 22 Street	NW 6 Street	NW 22 Street	#	#	F	#
G-42	SW 62 Boulevard	SW 20 Avenue	NW 1 Place	NW 1 Place	#	#	F	#

AADT - average annual daily traffic; G/C - traffic signal green time to cycle length ratio; ID - Facility Identification Number; LOS - level of service; N - North; NW - Northwest; SR - State Road; SW - southwest; V/C - intersection volume to capacity ratio

# Distressed facility to be analyzed once new tool is selected.

### Illustration IX Gainesville Metropolitan Area Roadways Operating at an Unacceptable Level of Service



# Chapter III

## Median Average Annual Daily Traffic Counts

This Page Left Blank Intentionally

## **Chapter III: Median Average Annual Daily Traffic Counts**

This chapter includes the median average annual daily traffic counts for roadway facilities within the Gainesville Metropolitan Area. Exhibit III-1 shows the median average annual daily traffic counts for state-maintained facilities. Exhibit III-2 shows the median average annual daily traffic counts for Alachua County-maintained facilities. Exhibit III-3 shows the median average annual daily traffic counts for City of Gainesville/University of Florida-maintained facilities.

This Page Left Blank Intentionally



## A. State-Maintained Arterials

**STATE MAINTAINED ARTERIALS**

This Page Left Blank Intentionally

**Exhibit III-1**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location	2019 AADT	
S-1	US 441 from Payne's Prairie to State Road 331		<b>14,650</b>
	Count Station Location	Station Number	Median AADT
	South of Rocky Point Road	6095	14,600
	South of State Road 331	6094	14,700
S-2	US 441 from State Road 331 to State Road 24		<b>20,500</b>
	Count Station Location	Station Number	Median AADT
	South of Bivens Arm	6092	17,800
	South of SW 16 Avenue	6091	22,000
	South of State Road 24	6090	20,500
S-3	US 441 from State Road 24 to State Road 26		<b>33,000</b>
	Count Station Location	Station Number	Median AADT
	South of SW 8 Avenue	6089	33,000
	North of SW 2 Avenue	6088	-
S-4	US 441 from State Road 26 to NW 29 Road		<b>29,000</b>
	Count Station Location	Station Number	Median AADT
	North of University Avenue	6087	27,000
	South of 8 Avenue	6086	28,000
	South of 16 Avenue	6154	29,000
	North of NW 16 Avenue	2065*	29,092
	South of NW 23 Avenue	6085	31,000
	North of NW 23 Avenue	6084	28,500
	North of NW 23 Avenue	2066*	30,106
S-5	US 441 from NW 29 Road to NW 23 Street		<b>27,250</b>
	Count Station Location	Station Number	Median AADT
	South of 39 Avenue	6083	27,000
	South of NW 6 Street	6082	17,900
	North of NW 6 Street	6081	29,000
	South of State Road 121	6080	27,500
S-6	State Road 20 (NW 6 Street) from NW 8 Avenue to State Road 222		<b>17,400</b>
	Count Station Location	Station Number	Median AADT
	North of NW 8 Avenue	6100	18,800
	South of NW 16 Avenue	6147	18,300
	North of NW 16 Avenue	6148	17,400
	North of NW 16 Avenue	2003*	Inactive
	South of NW 23 Avenue	6099	Inactive
	North of NW 23 Avenue	6098	13,500
South of State Road 222	6097	11,500	

**Exhibit III-1 (Continued)**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location			2019 AADT
S-7	State Road 20 (NW 6 Street) from State Road 222 to US 441			<b>10,500</b>
	Count Station Location	Station Number		Median AADT
	South of US 441	6096		10,500
S-8	State Road 20 from State Road 331 / State Road 24 to SE 43 Street			<b>15,400</b>
	Count Station Location	Station Number		Median AADT
	East of State Road 331 / State Road 24	6035		24,000
	South of State Road 26	5015*	Inactive	
	West of SE 15 Street	6146		13,700
	East of SE 15 Street	6042		13,400
	West of SE 27 Street	6043		18,300
	East of SE 27 Street	6044		15,400
S-9	State Road 24 from SW 75 Street (Tower Road) to Interstate 75			<b>27,250</b>
	Count Station Location	Station Number		Median AADT
	East of SW 75 Street	6053	Inactive	
	East of SW 63 Boulevard	6052		24,500
	West of Interstate 75	6051		30,000
S-10	State Road 24 from Interstate 75 to SW 34 Street			<b>51,500</b>
	Count Station Location	Station Number		Median AADT
	East of Interstate 75	6050		53,000
	West of State Road 121	Study	"	51,500 "
	West of State Road 121	6049		48,500
S-11	State Road 24 from SW 16 Avenue to US 441			<b>26,500</b>
	Count Station Location	Station Number		Median AADT
	East of SW 16 Avenue	Study	"	31,010 "
	East of SW 16 Avenue	6157		31,000
	East of Gale Lemerand Drive	Study	"	27,680 "
	East of Gale Lemerand Drive	6046		26,500
	East of Center Drive	Study	"	25,700 "
	East of Newell Drive	Study	"	25,150 "
S-12	State Road 24 (Waldo Road) State Road 26 to State Road 222			<b>27,331</b>
	Count Station Location	Station Number		Median AADT
	North of State Road 26	6120		27,000
	South of NE 16 Avenue	6119		29,500
	South of NE 23 Avenue	6118		27,662
	South of NE 23 Avenue	6117	Inactive	
	North of NE 23 Avenue	6116		23,500

**Exhibit III-1 (Continued)**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location	2019 AADT
S-13	State Road 24 (Waldo Road) State Road 222 to NE 53 Avenue	<b>18,300</b>
	Count Station Location	Median AADT
	North of State Road 222	6115 18,300
S-14	State Road 26 from NW 122 Street to Interstate 75 [West Ramp]	<b>40,750</b>
	Count Station Location	Median AADT
	West of NW 75 Street	6020 30,500
	East of NW 75 Street	6153 51,000
S-15	State Road 26 from Interstate 75 [West Ramp] to NW 8 Avenue	<b>49,500</b>
	Count Station Location	Median AADT
	East of NW 69 Street	6152 49,500
	East of Hospital	6138 47,000
	East of NW 62 Street	6021 52,500
S-16	State Road 26 from NW 8 Avenue to State Road 121 (NW 34 Street)	<b>29,750</b>
	Count Station Location	Median AADT
	West of NW 43 Street	6137 27,500
	West of NW 39 Road	6022 35,500
	East of NW 39 Road	6023 32,000
	West of State Road 121	6024 21,200
S-17	State Road 26 from State Road 121 to Gale Lemerand Drive	<b>22,250</b>
	Count Station Location	Median AADT
	East of State Road 121	6025 21,500
	West of NW 22 Street	6026 23,000
S-18	State Road 26 from Gale Lemerand Drive to US 441 (W 13 Street)	<b>29,500</b>
	Count Station Location	Median AADT
	East of Gale Lemerand Drive	6027 Inactive
	West of 13 Street	6028 29,500
S-19	State Road 26 from US 441 to State Road 24 (Waldo Road)	<b>19,100</b>
	Count Station Location	Median AADT
	West of W 12 Street	6029 24,500
	West of W 6 Street	6149 21,000
	West of W 3 Street	6030 19,100
	East of E Main Street	6031 17,400
	West of E 3 Street	6032 Inactive
	East of E 9 Street	6033 16,700
West of State Road 331 / State Road 24	6034 19,100	

**Exhibit III-1 (Continued)**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location	2019 AADT
S-20	State Road 26 from State Road 20 (Hawthorne Road) to County Road 329B (Lakeshore Drive)	<b>11,200</b>
	Station	Median
	Count Station Location	Number
	West of E 15 Street	1004      Inactive
	West of E 15 Street	6145      10,400
	East of E 15 Street	6036      11,200
	East of E 25 Street	6037      11,300
S-21	State Road 26A from State Road 26 (Newberry Road) to State Road 121(W 34 Street)	<b>15,800</b>
	Station	Median
	Count Station Location	Number
	West of W 38 Street	6133      15,800
S-22	State Road 26A from State Road 121(W 34 street) to State Road 26 (W University Avenue)	<b>12,550</b>
	Station	Median
	Count Station Location	Number
	East of State Road 121	6040      14,300
	East of SW 23 Street	6041      10,800
	South of State Road 26	4000*      Inactive
S-23	State Road 121(W 34 Street) from State Road 331(Williston Road) to State Road 24 (Archer Road)	<b>25,477</b>
	Station	Median
	Count Station Location	Number
	North of State Road 331	6077      21,900
	South of State Road 24	6134      29,053
S-24	State Road 121(W 34 Street) from State Road 24 (Archer Road) to State Road 26 (W University Avenue)	<b>42,750</b>
	Station	Median
	Count Station Location	Number
	South of SW 20 Avenue	6135      42,000
	North of SW 20 Avenue	6076      44,500
	North of Radio Road	6136      43,500
	South of State Road 26A	4009      Inactive
	South of State Road 26	6075      26,500
S-25	State Road 121 (W 34 Street) from State Road 26 to NW 16 Avenue	<b>19,000</b>
	Station	Median
	Count Station Location	Number
	North of State Road 26	6074      20,500
	South of NW 16 Avenue	6073      17,500
S-26	State Road 121(W 34 Street) from NW 16 Avenue to State Road 222 (NW 39 Avenue)	<b>15,250</b>
	Station	Median
	Count Station Location	Number
	North of NW 16 Avenue	6142      15,500
	North of NW 16 Avenue	2012*      Inactive
	South of NW 31 Road	6072      15,000

**Exhibit III-1 (Continued)**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location			2019 AADT
S-27	State Road 121 from State Road 222 (NW 39 Avenue) to NW 53 Avenue			<b>17,400</b>
	Count Station Location	Station Number	Median AADT	
	North of State Road 222	6071		17,400
	North of NW 45 Avenue	6140	Inactive	
	North of NW 45 Avenue	2002	Inactive	
S-28	State Road 121 from US 441 to NW 128 Lane			<b>11,488</b>
	Count Station Location	Station Number	Median AADT	
	North of US 441	6155		15,000
	North of US 441	6069	Inactive	
	North of US 441	6068		7,976
S-29	State Road 222 (N 39 Avenue) from NW 98 street to NW 83 Street			<b>26,489</b>
	Count Station Location	Station Number	Median AADT	
	East of NW 98 Street	1-39-2-1-WH-39-3-1-E 6132		21,478
	West of NW 91 Street	6132		31,500
S-30	State Road 222 (N 39 Avenue) from US 441(NW 13 Street) to State Road 24 (Waldo Road)			<b>18,700</b>
	Count Station Location	Station Number	Median AADT	
	East Of US 441	6004		21,500
	East of NW 6 Street	6005		24,000
	East of County Road 329 (N Main Street)	6006		18,700
	East of County Road 329 (N Main Street)	3014*	Inactive	
	West of NE 15 Street	6144		18,200
	West of State Road 24	6007		16,700
S-31	State Road 222 (N 39 Avenue) from State Road 24 (Waldo Road) to Airport Entrance			<b>14,500</b>
	Count Station Location	Station Number	Median AADT	
	East of State Road 24	6008		14,500
S-32	State Road 222 (N 39 Avenue) from Airport Entrance to NE 27 Avenue			<b>11,100</b>
	Count Station Location	Station Number	Median AADT	
	East of State Road 24	6008		14,500
	West of State Road 26	6009		7,700
S-33	State Road 226 (S 16 Avenue) from State Road 24 (SW Archer Road) to US 441(SW 13 Street)			<b>21,595</b>
	Count Station Location	Station Number	Median AADT	
	East of State Road 24	6055		22,000
	East of State Road 24	Study	"	21,570 "
	East of Shealy Drive	Study	"	21,370 "
	East of Veterans Affairs Hospital Drive	Study	"	20,370 "
	West of US 441	Study	"	21,620 "
	West of US 441	6056		22,000

**Exhibit III-1 (Continued)**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location	2019 AADT
S-34	State Road 226 (S 16 Avenue) from US 441(SW 13 Street) to S Main Street	<b>21,000</b>
	Count Station Location	Median AADT
	East of US 441	6057 21,000
	West of Main Street	4028 Inactive 6058 21,000
S-35	State Road 226 (S 16 Avenue) from State Road 329 (S Main Street) to State Road 331(Willinston Ro	<b>10,500</b>
	Count Station Location	Median AADT
	East of State Road 329	5026 Inactive 6059 10,500
S-36	State Road 120A (N 23 Avenue) from US 441(N 13 Street) to State Road 24 (Waldo Road)	<b>13,600</b>
	Count Station Location	Median AADT
	East of US 441	6012 14,200
	East of NW 6 Avenue	6013 13,600
	West of NE 7 Street	6014 14,000
	West of NE 15 Street	3023 Inactive
	East of NE 15 Street	6015 10,800
East of NE 15 Street	6016 8,000	
S-37	State Road 329 (Main Street) from State Road 26 (University Avenue) to N 8 Avenue	<b>14,650</b>
	Count Station Location	Median AADT
	North of State Road 26 (University Avenue)	6105 14,000
	South of N 8 Avenue	6104 15,300
S-38	State Road 331 / State Road 121 from Interstate 75 to US 441 (SW 13 Street)	<b>29,500</b>
	Count Station Location	Median AADT
	East of State Road 121 (SW 34 Street)	6112 29,500
	West of US 441	6111 29,500
S-39	State Road 331(Willinston Road) from US 441(SW 13 Street) to State Road 26 (University Avenue)	<b>24,000</b>
	Count Station Location	Median AADT
	East of US 441	6110 25,500
	South of S 16 Avenue	6124 21,500
	West of SE 4 Street	6123 26,000
	South of SE 4th Avenue	s5503 Inactive
	North of SE 4 Avenue	6122 24,000
	South of State Road 26	6121 23,000
S-40	State Road 20 (NW 8 Avenue) from NW 6 Street to N Main Street	<b>17,200</b>
	Count Station Location	Median AADT
	East of NW 6 Street	6018 17,200
	West of N Main Street	6019 Inactive



**Exhibit III-1 (Continued)**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location	2019 AADT
S-41	Interstate 75 from State Road 121 (Williston Road) to State Road 24 (SW Archer Road)	<b>83,500</b>
	Station	Median
	Count Station Location	Number
	North of State Road 331 / State Road 121	6062
		83,500
S-42	Interstate 75 from State Road 24 (SW Archer Road) to State Road 26 (Newberry Road)	<b>89,000</b>
	Station	Median
	Count Station Location	Number
	South of State Road 26	6061
		89,000
S-43	Interstate 75 from State Road 26 (Newberry Road) to State Road 222 (NW 39 Avenue)	<b>57,000</b>
	Station	Median
	Count Station Location	Number
	North of State Road 26	6060
		57,000
S-44	State Road 121 from Wacahoota Road to Interstate 75	<b>10,500</b>
	Station	Median
	Count Station Location	Number
	North of Wacahoota Road	6159
	South of SW 62 Avenue	-
		10,000
S-45	State Road 26 (Newberry Road) from NW 154 Street to NW 122 Street	<b>22,950</b>
	Station	Median
	Count Station Location	Number
	West of NW 143 Street	6161
	East of NW 143 Street	6160
		27,000
S-46	State Road 26 (NE 55 Boulevard) from County Road 329B to City Limit	<b>4,600</b>
	Station	Median
	Count Station Location	Number
	North of County Road 329B	6038
	South of State Road 222	s0039
		3,900
S-47	State Road 24 (SW Archer Road) from SW 91 Street to SW 75 Street (Tower Road)	<b>21,500</b>
	Station	Median
	Count Station Location	Number
	West of SW 75 Street	6054
		21,500
S-48	State Road 20 (Hawthorne Road) from SE 43 Street to County Road 329B (Lakeshore Drive)	<b>12,800</b>
	Station	Median
	Count Station Location	Number
	East of SE 27 Street	6044
	East of County Road 329B	6130
		10,200
S-49	State Road 20 (Hawthorne Road) from County Road 329B (Lakeshore Drive) to County Road 2082	<b>10,200</b>
	Station	Median
	Count Station Location	Number
	East of County Road 329B	6130
		10,200

**Exhibit III-1 (Continued)**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location	2019 AADT
S-50	US 441 from NW 23 Street to NW 126 Avenue	<b>20,400</b>
	Count Station Location	Station Median
	North of NW 23 Street	Number AADT
	South Railroad Bridge	6078 21,000 19,800
S-51	Interstate 75 from Gainesville Metropolitan Area Boundary to Williston Road	<b>70,690</b>
	Count Station Location	Station Median
	South of Williston Road	Number AADT
		6143 70,690
S-52	Interstate 75 from NW 39 Avenue to Gainesville Metropolitan Area Boundary	<b>65,500</b>
	Count Station Location	Station Median
	North of NW 39 Avenue	Number AADT
		6158 65,500
S-53	State Road 222 (N 39 Avenue) from NW 51 Street to US 441 (W 13 Street)	<b>27,500</b>
	Count Station Location	Station Median
	West of NW 43 Street	Number AADT
	East of NW 43 Street	6000 37,000
	East of State Road 121	6001 35,000
	East of State Road 121	6141 27,500
	East of State Road 121	2064* Inactive
	West of NW 24 Boulevard	6002 26,500
West of NW 13 Street	6003 27,500	
S-54	State Road 121 from County Road 232 (NW 53 Avenue) to US 441	<b>11,000</b>
	Count Station Location	Station Median
	South of US 441	Number AADT
	South of US 441	6070 11,000 2001 Inactive
S-55	State Road 24 from State Road 121 (SW 34 Street) to State Road 226 (SW 16 Avenue)	<b>51,000</b>
	Count Station Location	Station Median
	East of State Road 121	Number AADT
	East of State Road 121	Study 47,200 ~
	West of State Road 226	6048 47,500 6047 54,500
S-56	State Road 222 (N 39 Avenue) from NW 83 Street to NW 51 Street	<b>31,000</b>
	Count Station Location	Station Median
	East of NW 83 Street	Number AADT
	East of NW 83 Street	6139 31,000 7018 Inactive

**Exhibit III-1 (Continued)**  
**Median Average Annual Daily Traffic Counts - State - Maintained Facilities**

Number	Facility Location	2019 AADT
S-57	State Road 24 (Archer Road) from SW 122 Street (Parker Road) to SW 91 Street	<b>16,750</b>
	Count Station Location	Station Number
	West of SW 75 Street	6054
	East of US 27	-
S-58	State Road 222 from NE 27 Street to State Road 26	<b>7,700</b>
	Count Station Location	Station Number
	West of State Road 26	6009
	East of US 27	-
S-59	State Road 24 (Waldo Road) from NE 53 Avenue to Milligan Still Road	<b>17,600</b>
	Count Station Location	Station Number
	North of NE 53 Avenue	6114
	East of US 27	-

t:\mike\los\los20\s2019gt.xlsx

- \* Local Government Count Station on State-Maintained Road with Factored Counts
- ^ These Traffic Counts Are Averaged to Determine Median Count
- " Study Traffic Count Adjusted Extrapolation
- ~ Study Count Excluded

This Page Left Blank Intentionally

## B. Alachua County Arterials

# ALACHUA COUNTY ARTERIALS

This Page Left Blank Intentionally

**Exhibit III-2**  
**Median Average Annual Daily Traffic Counts - Alachua County - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
A-1	NW 53 Avenue (County Road 232) from NW 71 Street to NW 13 Street (US 441)		<b>9,902</b>
AC-010	West of NW 43 Street	1-53-3-1	9,902
	East of NW 35 Drive	9014 HPMS	15,000
	West of NW 34 Street (State Road 121)	1-53-4-1	9,640
	East of NW 34 Street (State Road 121)	2062	12,230 *
	West of US 441	1-53-5-1	6,730
A-2	NW 53 Avenue (County Road 232) from NW 13 Street (US 441) to Waldo Road (State Road 24)		<b>11,194</b>
AC-005	West of N Main Street (County Road 329)	2063	12,715
	West of NE 15 Street	2-53-1-1	11,194
	West of Waldo Road (State Road 24)	2-53-2-1	7,808
A-3	NW 43 Street from Newberry Road (State Road 26) to NW 53 Avenue (State Road 232)		<b>27,408</b>
AC-025	North of State Road 26	1-43-1-1-N+S	14,268 "
	North of NW 8 Avenue	6066 Inactive	
	North of NW 8 Avenue	9031 HPMS	27,500
	North of NW 8 Avenue	2059	27,316 *
	North of NW 8 Avenue	2004	27,131 *
	South of NW 23 Avenue	1-43-2-1-N+S	29,438 @
	North of NW 23 Avenue	6065 Inactive	
	North of NW 23 Avenue	2060 Inactive	
	North of NW 23 Avenue	2005 Inactive	
	South of NW 39 Avenue	1-43-3-1-N+S	32,008 @
	North of NW 39 Avenue	6064 Inactive	
	North of NW 39 Avenue	1-43-4-1-N+S	31,638 @
	North of NW 39 Avenue	2007	23,360 *
A-6	NW 43 Street from NW 53 Avenue (County Road 232) to US 441		<b>16,110</b>
AC-030	North of NW 53 Avenue	2061	16,110 *
	North of NW 53 Avenue	9062 HPMS	17,400
	North of NW 53 Avenue	1-43-5-1-N+S	16,332 "
	North of San Felasco Park Road	1-43-6-1	10,231 "
	South of NW 93 Avenue	- Inactive	
	South of US 441	1-43-7-1	7,944 @
A-9	NW 23 Avenue from NW 98 Street to NW 55 Street		<b>18,478</b>
AC-040	East of NW 98 Street	1-23-1-1	8,798
	East of Fort Clarke Boulevard	9034 HPMS	16,500
	West of Interstate 75	1-23-2-1	18,538
	East of NW 83 Street	1-23-3-1-E+W	18,478
	West of NW 55 Street	1-23-4-1-E+W	19,655
A-10	NW 23 Avenue from NW 55 Street to NW 43 Street		<b>23,883</b>
AC-035	East of NW 51 Street	2008 Inactive	
	West of NW 43 Street	1-23-5-1-E+W	23,883

**Exhibit III-2 (Continued)**

**Median Average Annual Daily Traffic Counts - Alachua County - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
A-11	NW 16 Avenue from NW 43 Street to NW 13 Street (US 441)		<b>18,192</b>
	East of NW 43 Street	2038	19,953 <
	East of NW 38 Street	2036	19,074 <
	West of NW 22 Street	2071	17,193 <
	East of NW 22 Street	2089 Inactive	
	East of NW 18 Terrace	2033	17,310 <
A-12	NW 16 Avenue from NW 13 Street (US 441) to State Road 24 (Waldo Road)		<b>11,595</b>
	East of NW 13 Street	2088 Inactive	
	East of NW 10 Street	2070	12,440 <
	East of NW 6 Street	2030	10,819 <
	West of N Main Street	2087 Inactive	
	East of NE 2 Street	3024	12,370
	East of NE 9 Street	9005 HPMS	9,500
	West of NE 12 Street	3005	9,626
A-13 AC-090	SW 75 Street from State Road 24 (SW Archer Road) to SW 8 Avenue		<b>16,777</b>
	North of State Road 24 (Archer Road)	4-75-2-1-N+S	18,342 @
	North of SW 46 Boulevard	9012 HPMS	15,000
	South of SW 24 Avenue	4-75-3-1-N+S	16,586 @
	North of SW 24 Avenue	4-75-4-1-N+S	16,968 @
A-14 AC-085	W 75 Street from SW 8 Avenue to State Road 26 (Newberry Road)		<b>21,187</b>
	South of State Road 26 (Newberry Road)	4-75-7-1-N+S	26,976 @
	North of W University Avenue	4-75-6-1-N+S	21,874 @
	South of W University Avenue	4-75-5-1-N+S	19,021 @
	South of W University Avenue	9002 HPMS	20,500
A-15 AC-060	SW 20 Avenue from SW 75 Street to SW 62 Boulevard		<b>19,598</b>
	East of SW 75 Street	4-20-1-1-E+W	19,598
A-16 AC-055	SW 20 Avenue from SW 62 Boulevard to SW 34 Street (State Road 121)		<b>19,492</b>
	East of SW 62 Boulevard	4-20-2-1-E+W	31,070 @
	East of SW 43 Street	9022 HPMS	19,000
	West of SW 34 Street	4-20-3-1-E+W	19,492
A-17	N Main Street (County Road 329) from N 8 Avenue to N 16 Avenue		<b>15,406</b>
	North of N 8 Avenue	1000	14,742
	North of N 10 Avenue	1001	16,069
A-18	N Main Street (County Road 329) from N 23 Avenue to N 39 Avenue (State Road 222)		<b>12,702</b>
	North of N 23 Avenue	1-MAIN-1-1-N+S	12,792
	North of N 23 Avenue	6102 Inactive	
	South of N 31 Avenue	1005 Inactive	
	South of N 39 Avenue	6101 Inactive	
	South of N 39 Avenue	1003	12,611
A-19 AC-095	NW 39 Avenue (State Road 222) from NW 110 Terrace to NW 98 Street		<b>19,022</b>
	West of Interstate 75	1-39-2-1-E+W	19,022
	East of NW 98 Street	- Inactive	



**Exhibit III-2 (Continued)**  
**Median Average Annual Daily Traffic Counts - Alachua County - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
A-20	SW 24 Avenue from SW 91 Street to SW 75 Street		<b>14,080</b>
AC-065	West of SW 75 Street	4-24-3-1	14,080
A-21	NW 51 Street from NW 23 Avenue to NW 39 Avenue (State Road 222)		<b>7,760</b>
AC-120	South of NW 39 Avenue	1-51-1-1-N+S	2,526
	North of 23 Avenue	9025 HPMS	10,000
	North of 23 Avenue	2106	7,760
A-22	NW 98 Street from State Road 26 (Newberry Road) to State Road 222 (NW 39 Avenue)		<b>11,771</b>
AC-110	North of State Road 26	1-98-1-1	12,994
	South of State Road 222	1-98-2-1	10,548
A-23	NW 83 Street from NW 23 Avenue to NW 39 Avenue (State Road 222)		<b>19,169</b>
AC-130	North of NW 23 Avenue	1-83-1-1-N+S	24,738 "
	South of NW 39 Avenue	1-83-2-1-N+S	13,599
A-24	W 91 Street from SW 24 Avenue to Newberry Road (State Road 26)		<b>6,814</b>
AC-165	South of Newberry Road	4-91-7-1	6,839 "
	North of SW 24 Avenue	4-91-6-1	6,789 "
A-25	NW 39 Road from Newberry Road (State Road 26) to NW 8 Avenue		-
	North of State Road 26	7005 Inactive	
A-26	SW 8 Avenue from SW 91 Street to SW 75 Street		<b>4,510</b>
AC-140	West of SW 75 Street	4-8-2-1	6,320 @
	East of SW 83 Street	9001 HPMS	2,700
A-28	Rocky Point Road from Williston Road (State Road 331) to SW 13 Street (US 441)		<b>3,890</b>
AC-275	South of Williston Road (State Road 331)	4-Rock-1-1	3,890 @
	West of SW 13 Street	6131 Inactive	
A-29	Kincaid Loop from Hawthorne Road (State Road 20) to Hawthorne Road (State Road 20)		<b>3,841</b>
AC-280	South of Hawthorne Road	5020	3,841
	North of SE 7 Avenue	5027 Inactive	
	North of SE 7 Avenue	5008	4,457 ~
	South of SE 7 Avenue	5009	3,691
	South of SE 7 Avenue	9008 HPMS	4,900
	North of SE 22 Avenue	5021 Inactive	
	South of SE 22 Avenue	5022	3,078 <
	South of SE 22 Avenue	6126 Inactive	
	North of SE 22 Avenue	6127 Inactive	
	South of Hawthorne Road	3-27-1-2	2,186
A-30	SW 40 Boulevard / Clark Butler Boulevard / SW 43 Street from SW Archer Road to SW 20 Avenue		<b>7,587</b>
AC-400	North of Archer Road	7006	10,266
	North of Plaza Boulevard		4,085
	South of Plaza Boulevard		7,078
	North of SW 33 Place	7054	7,037
	South of SW 33 Place	7074	8,096
	South of SW 20 Avenue	7055	16,103

**Exhibit III-2 (Continued)**

**Median Average Annual Daily Traffic Counts - Alachua County - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
A-31	Monteocha Road (NE 38 Street) from NE 53 Avenue to 11200 Block of Monteocha Road		<b>2,765</b>
AC-285	North of 53 Avenue	6113 Inactive	
	North of 53 Avenue	2-225-1-1	2,765
A-32	NW 143 Street (County Road 241) from Newberry Road (State Road 26) to Millhopper Road		<b>11,395</b>
AC-240	North of Newberry Road	1-241-1-1-N+S	12,563
	South of Millhopper Road	1-241-2-1-N+S	10,227
A-33	SW 24 Avenue from SW 122 Street to SW 91 Street		<b>9,658</b>
AC-070	East of SW 122 Street	4-24-1-1	7,346
	West of SW 91 Street	4-24-2-1	11,970
A-34	NW 53 Avenue (Millhopper Road) from NW 143 Street/County Road 241 to NW 71 Street		<b>6,146</b>
AC-015	East of Interstate 75	1-53-2-1	3,036 "
	East of 52 Avenue	1-53-3-1	9,255 "
A-35	W 122 Street from SW 24 Avenue to Newberry Road (State Road 26)		<b>11,000</b>
AC-210	North of SW 24 Avenue	4-122-3-1	8,009
	South of Newberry Road	9113 HPMS	11,000
	South of Newberry Road	4-122-4-1	11,781 "
A-36	SW 8 Avenue from SW 122 Street to SW 91 Street		<b>3,888</b>
AC-145	East of SW 122 Street	4-8-1-1	3,076 "
	East of 101 Street	9013 HPMS	4700
A-37	NW 39 Avenue from W 143 Street (County Road 241) to NW 110 Street		<b>13,877</b>
AC-100	West of Interstate 75	1-39-1-1	13,877
A-38	SE 43 Street from Hawthorne Road (State Road 20) to East University Avenue (State Road 26)		<b>3,779</b>
AC-290	North of Hawthorne Road	3-43-1-1	4,095
	South of University Avenue	3-43-2-1	3,462
A-39	SW 91 Street from SW Archer Road (State Road 24) to SW 24 Avenue		<b>8,538</b>
AC-170	North of Archer Road	4-91-1-1	6,349 >
	North of SW 46 Boulevard	4-91-2-1	6,962 "
	North of SW 44 Boulevard	4-91-3-1	8,538 "
	North of School House Road	4-91-4-1	8,842 "
	North of SW 31 Avenue	4-91-5-1	9,199 "
A-40	SW 46 Boulevard from SW 91 Street to SW 75 Street		<b>4,712</b>
AC-180	West of SW 75 Street	4-46-1-1	4,712 >
A-41	SW 62 Avenue / SW 63 Boulevard from Williston Road (State Road 121) to Archer Road (State Road 24)		<b>4,390</b>
AC-200	South of Archer Road	4-63-1-1	5,080 *
	West of Williston Road	9030 HPMS	3,700
A-42	County Road 329B (Lakeshore Drive) from Hawthorne Road (State Road 20) to State Road 26		<b>690</b>
AC-295	North of State Road 20	3-329-1-1	412
	East of State Road 26	3-329-2-1	968
A-43	NE 77 Avenue from NE 38 Street (Monteocha Road) to State Road 24 (Waldo Road)		<b>469</b>
AC-300	East of NE 38 Street	2-77-1-2	469 >
A-44	SW 75 Street from Gainesville Metropolitan Area Boundary to Archer Road (State Road 24)		<b>3,123</b>
AC-095	South of Archer Road	4-75-1-1	3,123 *

**Exhibit III-2 (Continued)**

**Median Average Annual Daily Traffic Counts - Alachua County - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
A-45	Fort Clarke Boulevard from State Road 26 / Newberry Road to NW 23 Avenue		<b>12,666</b>
AC-160	North of State Road 26	1-FC-1-1	13,114
	South of NW 23 Avenue	1-FC-2-1-N+S	12,217
A-46	NW 32 Avenue from Gainesville Metropolitan Area Boundary to County Road 241/ NW 143 Street		<b>2,344</b>
AC-050	West of County Road 241	1-32-1-1	2,344
A-47	County Road 234 from Prairie Creek Bridge to SE 73 Drive		<b>644</b>
	North of US 441	3-234-5-2	644 >
A-48	W 122 Street from Archer Road to SW 24 Avenue		<b>5,209</b>
	North of Archer Road	4-122-1-1	4,866 "
	South of SW 24 Avenue	4-122-2-1	5,551 "
A-49	County Road 231 from State Road 121 to 13000 Block of County Road 231		<b>4,013</b>
	East of State Road 121	1-231-1-2	4,013
A-50	N Main Street (County Road 329) from N 16 Avenue to N 23 Avenue		<b>15,577</b>
	North of N 16 Avenue	1002	15,577
	South of N 23 Street	6103 Inactive	

- ~ 2008 TRAFFIC COUNT t:\mike\los\los20\k2019gt.xlsx
- ` 2009 TRAFFIC COUNT
- \* 2010 TRAFFIC COUNT
- < 2013 TRAFFIC COUNT
- > 2014 TRAFFIC COUNT
- " 2015 TRAFFIC COUNT
- @ 2016 TRAFFIC COUNT
- HPMS Federal Highway Administration Highway Performance Monitoring System traffic count per Florida Department of Transportation
- ^ median average for this location
- # count may be affected by construction

This Page Left Blank Intentionally

## C. City of Gainesville/University of Florida Arterials

### CITY OF GAINESVILLE / UNIVERSITY OF FLORIDA ARTERIALS

This Page Left Blank Intentionally

**Exhibit III-3**  
**Median Average Annual Daily Traffic Counts - City of Gainesville/  
University of Florida - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
G-1	NW 55 Street from New berry Road (State Road 26) to NW 23 Avenue		<b>11,136</b>
	North of New berry Road	2009	10,815
	North of New berry Road	2079	Inactive
	South of NW 23 Avenue	2011	11,456
G-2	NW 8 Avenue from New berry Road (State Road 26) to NW 22 Street		<b>15,007</b>
	East of New berry Road	9015 HPMS	<b>20,000</b>
	West of NW 43 Street	2077	20,647
	East of NW 43 Street	6017	Inactive
	West of NW 34 Street	2073	13,765
	West of NW 34 Street	9016 HPMS	15,000
G-3	NW 8 Avenue from NW 22 Street to NW 6 Street		<b>14,936</b>
	East of NW 22 Street	2075	15,648
	West of NW 10 Street	9017 HPMS	14,500
	West of NW 6 Street	2076	14,936
G-4	SW 62 Boulevard from NW 1 Place to New berry Road (State Road 26)		<b>19,675</b>
	South of New berry Road	7038	Inactive
	South of New berry Road	2090	19,675
G-5	NW 22 Street from W University Avenue (State Road 26) to NW 16 Avenue		<b>5,052</b>
	North of W University Avenue	2035	5,052
	North of NW 5 Avenue	2037	4,779
	South of NW 16 Avenue	2072	6,234
G-6	NE 8 Avenue from N Main Street to Waldo Road (State Road 24)		<b>10,000</b>
	East of NE 4 Street	9004 HPMS	10,000
	West of NE 7 Street	3000	10,113
	East of NE 9 Street	3001	9,187
G-7	S 2 Avenue from SW 13 Street (US 441) to SE 7 Street		<b>5,626</b>
	West of SW 10 Street	4026	Inactive
	East of SW 10 Street	4015	7,328
	West of SW 3 Street	4005	7,992
	East of SW 2 Street	4006	Inactive
	East of S Main Street	5010	3,923
G-8	SW 6 Street from SW 16 Avenue to SW 4 Avenue		<b>8,800</b>
	South of Depot Avenue	4001	8,590
	North of Depot Avenue	4002	9,010
G-9	W 6 Street from SW 4 Avenue to NW 8 Avenue		<b>10,400</b>
	South of W Univeristy Avenue	9006 HPMS	10,400
	South of W University Avenue	4003	5,383
	North of W University Avenue	2056	10,920
	South of NW 8 Avenue	2,082	Inactive

**Exhibit III-3 (Continued)**  
**Median Average Annual Daily Traffic Counts - City of Gainesville/  
University of Florida - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
G-10	E 9 Street from SE 2 Avenue to NE 31 Avenue		<b>3,877</b>
	South of E University Avenue	5006	2,528
	North of NE 5 Avenue	3013	7,016
	South of NE 16 Avenue	3027	6,184
	North of NE 16 Avenue	3016	3,877
	North of NE 23 Avenue	3017	2,551
G-11	NW 38 Street from NW 8 Avenue to NW 16 Avenue		<b>1,882</b>
	North of NW 8 Avenue	2042	1,764
	North of NW 15 Avenue	9010 HPMS	2,000
G-12	NW 24 Boulevard from NW 39 Avenue (State Road 222) to NW 53 Avenue (State Road 232)		<b>2,582</b>
	North of NW 39 Avenue	2046	3,685
	North of NW 39 Avenue	9010 HPMS	2,000
	South of NW 53 Avenue	2047	2,582
G-13	N Main Street from N 39 Avenue (State Road 222) to N 53 Avenue (State Road 232)		<b>7,298</b>
	North of N 39 Avenue	1006	7,298
	North of N 39 Avenue	7048	Inactive
G-14	NE 15 Street from E University Avenue (State Road 26) to NE 8 Avenue		<b>3,971</b>
	North of E University Avenue	3018	3,971
G-15	NE 15 Street from NE 16 Avenue to NE 39 Avenue (State Road 222)		<b>4,521</b>
	North of NE 16 Avenue	3019	3,542
	South of NE 31 Avenue	3028	Inactive
	North of NE 31 Avenue	3015	5,499
G-16	NE 25 Street from E University Avenue (State Road 26) to NE 8 Avenue		<b>5,132</b>
	South of NE 8 Avenue	3020	5,132
G-17	SE 4 Street from Williston Road (State Road 331) to Depot Avenue		<b>3,151</b>
	North of Williston Road	5005	2,701
	South of Depot Avenue	5000	3,601
G-18	SE 4 Street / SE 22 Avenue from Williston Road (State Road 331) to SE 15 Street		<b>4,442</b>
	South of Williston Road	5023	4,883
	South of Williston Road	6125	Inactive
	West of Evergreen Cemetery	9026 HPMS	4,000
G-19	NE 8 Avenue from Waldo Road (State Road 24) to NE 25 Street		<b>6,686</b>
	East of NE 18 Street	3002	6,686



**Exhibit III-3 (Continued)**  
**Median Average Annual Daily Traffic Counts - City of Gainesville/  
University of Florida - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
G-20	S 4 Avenue from SW 13 Street (US 441) to SE 15 Street		<b>3,486</b>
	West of SW 10 Street	4027	Inactive
	West of SW 6 Street	4018	5,099 ~
	East of SW 6 Street	4007	4,756 ~
	West of S Main Street	4008	2,050
	East of SE 3 Street	5013	4,421
	East of SE 9 Street	5002	3,486
	East of SW 13 Street	9009 HPMS	2,700
	East of Williston Road	5018	2,853
G-21	SW 9 Road / Depot Ave / SE 7 Avenue from SW 13 Street to SE 15 Street		<b>6,025</b>
	East of SW 13 Street	4020	7,720 `
	East of SW 13 Street	4036	6,751 `
	West of SW 6 Street	9018 HPMS	8,300
	East of SW 6 Street	4022	6,025 `
	East of S Main Street	5007	8,792 `
	West of Williston Road	5004	2,815 `
	East of Williston Road	5025	Inactive
	West of SE 14 Street	9003 HPMS	2,300
	West of SE 15 Street	5024	2,400
	West of SE 15 Street	5024	2,400
G-22	SE 2 Avenue from SE 7 Street to Williston Road		<b>1,487</b>
	East of SE 9 Street	5001	1,487
G-23	NE 31 Avenue from N Main Street to Waldo Road (State Road 24)		<b>2,063</b>
	East of N Main Street	3010	1,813
	East of NE 15 Street	3012	2,313
G-24	NW 17 Street from W University Avenue (State Road 26) to NW 8 Avenue		<b>1,770</b>
	North of W University Avenue	2031	1,485
	North of NW 5 Avenue	2032	2,054
G-25	W 12 Street from SW 4 Avenue to NW 8 Avenue		<b>4,989</b>
	North of SW 2 Avenue	4011	5,232 `
	North of W University Avenue (State Road 26)	2024	4,745
G-26	W 10 Street from SW 4 Avenue to NW 8 Avenue		<b>2,875</b>
	North of SW 2 Avenue	4012	3,795 `
	South of NW 3 Avenue	2019	1,955
	South of NW 8 Avenue	2085	Inactive
G-27	SW 16 Street from SW 16 Avenue to SW Archer Road (State Road 24)		<b>4,361</b>
	North of SW 16 Avenue	4014	4,361 `
G-28	NW 5 Avenue from NW 22 Street to NW 13 Street (US 441)		<b>2,303</b>
	East of NW 22 Street	2084	Inactive
	West of NW 17 Street	2018	2,303
	East of NW 17 street	2083	Inactive
	East of NW 13 Street	2081	Inactive

**Exhibit III-3 (Continued)**  
**Median Average Annual Daily Traffic Counts - City of Gainesville/  
University of Florida - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
G-29	W 3 Street from SW 4 Avenue to NW 8 Avenue		<b>409</b>
	North of SW 4 Avenue	4023	Inactive
	North of SW 2 Avenue	4004	Inactive
	North of NW 3 Avenue	2016	409
G-30	W 2 Street from SW 4 Avenue to NW 8 Avenue		<b>374</b>
	North of W University Avenue	2058	374 >
G-31	Gale Lemerand Drive from SW Archer Road (State Road 24) to Museum Road		<b>10,559</b>
	North of Archer Road	UF [4058]	12,364
	North of Mow ry Road	UF	8,754 u
G-32	Radio Road / Museum Road from SW 34 Street (State Road 121) to SW 13 Street (US 441)		<b>10,892</b>
	East of SW 34 Street	4050	5,235
	West of Village Drive	UF	9,950 u
	West of North-South Drive	UF	8,840 u
	East of North-South Drive	UF	14,945 u
	East of Center Drive	UF	17,685 u
	West of SW 13 Street	4046	11,833
G-33	E 1 Street from SE 2 Place to NE 8 Avenue		<b>2,929</b>
	North of University Avenue	2091	2,786 ~
	North of NE 3 Avenue	3025	3,071 ~
G-34	E 3 Street from SE Depot Avenue to NE 2 Avenue		<b>4,277</b>
	South of SW 4 Avenue	5012	4,277 `
	South of University Avenue	5011	5,238 ~
	North of University Avenue	3026	1,785 ~
G-35	Hull / Mow ry Road from SW 34 Street to Center Drive		<b>8,728</b>
	East of SW 34 Street	4051	11,451
	West of SW 23 Drive	UF	6,005 u
G-36	Glen Springs Road / NW 31 Avenue from NW 34 Street to NW 16 Terrace		<b>6,906</b>
	East of NW 34 street	7010/2122	6,906
	East of NW 34 Street	2000	Inactive
	East of NW 23 Terrace	2121	6,672
	West of NW 23 Boulevard	2080	Inactive
	West of NW 23 Boulevard	6010	Inactive
G-37	SW 23 Terrace from Williston Road (State Road 331) to Archer Road (State Road 24)		<b>9,187</b>
	North of Williston Road (State Road 331)	7041/4063	7,677 `
	South of Archer Road (State Road 24)	7040/4062	10,696 `
G-38	NW 23 Boulevard from NW 16 Terrace to NW 13 Street (US 441)		<b>10,297</b>
	East of NW 16 Terrace	2006	10,994
	West of NW 13 Street	9032 HPMS	9,600
	West of NW 13 Street	6011	Inactive
G-39	Gale Lemerand Drive from Museum Road to W University Avenue (State Road 26)		<b>10,856</b>
	South of W University Avenue	UF [4043]	7,967
	North of Museum Drive	UF	13,745 u

**Exhibit III-3 (Continued)**  
**Median Average Annual Daily Traffic Counts - City of Gainesville/  
University of Florida - Maintained Facilities**

Number	Facility Location / Count Station Location	Station Number	2019 AADT
G-40	Main Street from State Road 331 (Williston Road) to Depot Avenue		<b>9,200</b>
	South of S 16 Avenue	6109	6,700 ^
	South of Depot Avenue	6108	11,700 ^
G-41	Main Street from Depot Avenue to University Avenue (State Road 26)		<b>12,100</b>
	North of S 4 Avenue	6107	12,100 ^
	South of University Avenue	6106	Inactive
G-42	SW 62 Boulevard from SW 20 Avenue to NW 1 Place		<b>20,359</b>
	North of SW 20 Avenue	4029	20,717 `
	North of SW 20 Avenue	9033 HPMS	20,000
	North of SW 20 Avenue	7039	Inactive

N - North, S - South, E - East, W - West, NE - Northeast, NW - Northwest, SE - Southeast, SW Southwest

< Year 2013 count

> Year 2014 count

^ Year 2015 count

~ Year 2016 count

` Year 2017 count

HPMS Federal Highway Administration Highway Performance Monitoring System traffic count per Florida Department of Transportation

u Factored University of Florida Campus Master Plan update 2009 traffic count

C Count affected by construction activity

This Page Left Blank Intentionally

---

# Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area

## *Multimodal Level of Service Monitoring Program Team*

Scott R. Koons, AICP, Executive Director

\* Michael Escalante, AICP, Senior Planner

\*\* Lauren Yeatter, AICP, Senior Planner

\* Primary Responsibility

\*\* Secondary Responsibility



Use the QR Reader App  
on your smart phone to  
visit our website!

## Metropolitan Transportation Planning Organization for the Gainesville Urbanized Area

2009 NW 67th Place  
Gainesville, FL 32653-1603  
352.955.2200

[www.ncfrpc.org/mtpo](http://www.ncfrpc.org/mtpo)